Book No. 88

50 CENTS

Style Knits by Beehive

Style Knits by Beehive

Book No. 88

Front Cover

Elite Set (left) see pages 8 and 9
Cardigan (right) see page 2

A style-wise collection of Pullovers, Cardigans and Jackets, designed for your knitting pleasure with World-renowned Wools by Beehive

Pullover and Cardigan
See page 1

Classic Cardigan
See page 5

Classic Pullover
See page 5

Classic Pullover
See page 5

Elite Pullover
See page 9

Raglan Jacket
See page 11

Two-Tone Cardigan
See page 11

High Rise Pullover
See page 14

Bird of Paradise
Pullover
See page 15

Angora Pullover
See page 19

Angora Cardigan
See page 19

Cable Cardigan
See page 22

Bow-Knot Cardigan
See page 23

Eyelet Cardigan
See page 23

Jacket and Cardigan
See page 27

PATONS & BALDWINS LIMITED : TORONTO 19

The Boat Neck Pullover *(left)* *see page 7*

The Nordic Cardigan *(right)* *see page 3*

The Lace Bordered Cardigan

Shown on Cover (right)

MATERIALS:
Just a touch of lace to the plain knitting adds immeasurably to the appeal of this cardigan, particularly when you are sure to knit it with Beehive Fingering 4 ply Patonised or Patwin 4 ply Patonised. You will require:—11 (1 oz.) balls. *(14—11 balls)* *(16 and 18—12 balls)*. Two No. 11 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. 7 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length from top of shoulder	20½ "	20½ "	21 "	21 "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 7½ sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

LACE PATTERN: (21 sts.). **1st row:** P1. K2tog. w.r.n. P1. K4. K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K4. P1. K2tog. w.r.n. P1.
2nd and alternate rows: K1. P2. K1. P13. K1. P2. K1.
3rd row: P1. w.o.n. Sl.1. K1. p.s.s.o. P1. K3. K2tog. K1. (Wl.fwd. K1)twice. Sl.1. K1. p.s.s.o. K3. P1. w.o.n. Sl.1. K1. p.s.s.o. P1.
5th row: P1. K2tog. w.r.n. P1. K3. K2tog. K1. (Wl.fwd. K1) twice. Sl.1. K1. p.s.s.o. K3. P1. K2tog. w.r.n. P1.
7th row: P1. w.o.n. Sl.1. K1. p.s.s.o. P1. K1. Wl.fwd. K2. Sl.1. K1. p.s.s.o. K3. K2tog. K2. Wl.fwd. K1. P1. w.o.n. Sl.1. K1. p.s.s.o. P1.
9th row: P1. K2tog. w.r.n. P1. K2. Wl.fwd. K2. Sl.1. K1. p.s.s.o. K1. K2tog. K2. Wl.fwd. K2. P1. K2tog. w.r.n. P1.
11th row: P1. w.o.n. Sl.1. K1. p.s.s.o. P1. K3. Wl.fwd. K2. Sl.1. K2tog. p.s.s.o. K2. Wl.fwd. K3. P1. w.o.n. Sl.1. K1. p.s.s.o. P1.
12th row: As 2nd row. These 12 rows complete one Lace Pattern.

BACK: With No. 11 needles cast on 122 sts. *(14—128 sts.)* *(16—136 sts.)* *(18—144 sts.)*.
Work 4 ins. (K1. P1) ribbing.

Change to No. 10 needles and continue even in Stocking st. until work measures 13 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 7 sts. *(14—7 sts.)* *(16—9 sts.)* *(18—10 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 94 sts. on needle. *(14—98 sts.)* *(16—102 sts.)* *(18—104 sts.)*.
Continue even until armhole from first shaping measures 7½ ins. *(14—7½ ins.)* *(16 and 18—8 ins.)* ending with purl row.

To shape shoulders: Cast off 9 sts. beginning next 2 rows, 10 sts. beginning following 4 rows.
(14—Cast off 10 sts. beginning next 4 rows, 11 sts. beginning following 2 rows)
(16—Cast off 10 sts. beginning next 2 rows, 11 sts. beginning following 4 rows)
(18—Cast off 11 sts. beginning next 6 rows).
Cast off remaining sts.

LEFT FRONT: With No. 11 needles cast on 66 sts. *(14—70 sts.)* *(16—74 sts.)* *(18—76 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last 30 sts. Work 1st. row of Lace Pattern on next 21 sts. (K1. P1)4 times. K1. (The last 9 sts. form Moss st. border at front edge).
2nd row: K1. (P1. K1)4 times. Work 2nd row of Lace Pattern on next 21 sts. *P1. K1. Repeat from * to end of row. (side edge).
The Pattern is in position, the sts. at side edge are worked in (K1. P1) ribbing and the 9 sts. at front edge are worked in Moss st. as given on last 2 rows.
Beginning with 3rd row of Lace Pattern, continue even until work measures 4 ins. from beginning. With right side of work facing, proceed:—

Change to No. 10 needles.
1st row: Knit to last 30 sts. Work Lace Pattern on next 21 sts. (K1. P1)4 times. K1.
2nd row: K1. (P1. K1)4 times. Work Lace Pattern on next 21 sts. Purl to last st. K1.
Keeping 36 sts. *(14—40 sts.)* *(16—44 sts.)* *(18—46 sts.)* in Stocking st. instead of ribbing, continue working Lace Pattern and Moss st. border as before, until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 7 sts. *(14—8 sts.)* *(16—9 sts.)* *(18—10 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 55 sts. on needle *(14—58 sts.)* *(16—61 sts.)* *(18—62 sts.)* and end at armhole edge.
Next row: K2tog. Knit to last 32 sts. (K2tog. for dec. inside border). Work Lace Pattern on next 21 sts. (K1. P1) 4 times. K1. Continue dec. 1.st. at armhole edge every alternate row, at same time dec. 1.st. inside border every 4th row as before, to 50 sts. *(14—53 sts.)* *(16—56 sts.)* *(18—57 sts.)*.
Keeping armhole edge even, continue dec. 1.st. inside border every 4th row to 38 sts. on needle. *(14—40 sts.)* *(16—41 sts.)* *(18—42 sts.)*. Continue even until armhole measures same as Back to shoulders.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 9 sts. every alternate row once, 10 sts. twice.
(14—Cast off 10 sts. every alternate row twice, 11 sts. once)
(16—Cast off 10 sts. every alternate row once, 11 sts. twice)
(18—Cast off 11 sts. every alternate row 3 times).
Work 2¼ ins. *(14—2¼ ins.)* *(16 and 18—2½ ins.)* Moss st. on remaining 9 sts. to be sewn across one half of back of neck. Cast off.

RIGHT FRONT: With No. 11 needles cast on 66 sts. *(14—70 sts.)* *(16—74 sts.)* *(18—76 sts.)*.
1st row: K1. (P1. K1)4 times. Work 1st. row of Lace Pattern on next 21 sts. *K1. P1. Repeat from * to last 2 sts. K2. (side edge).
2nd row: *K1. P1. Repeat from * to last 30 sts. Work 2nd row of Lace Pattern on next 21 sts. (K1. P1)4 times. K1. (The last 9 sts. form Moss st. border at front edge).
The Pattern and border are now in position to correspond to Left Front.
Beginning with 3rd row of Lace Pattern, work to end of 12th pattern row.
13th row: (1st. buttonhole). (K1. P1)twice. Cast off 2 sts. K1. P1. K1. Work 1st. row of Lace Pattern on next 21 sts. Rib to end of row.
14th row: Rib to last 28 sts. Work 2nd row of Lace Pattern on next 21 sts. K1. P1. K1. Cast on 2 sts. (P1. K1)twice.
Working 6 more buttonholes 2 ins. apart, continue to correspond to Left Front to 55 sts. on needle *(14—58 sts.)* *(16—61 sts.)* *(18—62 sts.)* and end at front edge.
Next row: K1. (P1. K1)4 times. Work Lace Pattern on next 21 sts. (Sl.1. K1. p.s.s.o. for dec. inside border). Knit to last 2 sts. K2tog.
Continue to correspond to Left Front being careful to have all shapings for opposite side.

SLEEVES: With No. 11 needles cast on 56 sts. *(14—56 sts.)* *(16 and 18—62 sts.)*.
Work 3 ins. (K1. P1) ribbing, increasing across last row to 62 sts. *(14—62 sts.)* *(16 and 18—70 sts.)*.

Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 8th row to 92 sts. on needle. *(14—92 sts.)* *(16 and 18—100 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

(Continued on page 3)

The Nordic Cardigan

Shown on page 1 (right)

MATERIALS:
In the Scandinavian manner, this cardigan has been designed for your knitting pleasure with Beehive Superior Double Knitting Patonised and Mothproofed. You will need:—6 (2 oz.) balls Main Colour (B). *(14—6 balls)* *(16—7 balls)*. 2 balls Contrasting Colour (D) for borders. *(14 and 16—3 balls)*. 1 ball each of two other Contrasting Colours (A) and (C) for all sizes. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting Patonised and Mothproofed. One No. 8 Circular Knitting Needle, 24 ins. long. 9 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	35 "	37 "	39 "
Length at centre back (excluding neckband)	21 "	21 "	21 "
Length of sleeve underarm seam	16½ "	16½ "	16½ "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14 and 16 are written in brackets thus:—( ).

BACK: With (D) and No. 10 needles cast on 85 sts. *(14—91 sts.)* *(16—97 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3 ins. ending with 2nd row.

Note: The coloured pattern is worked in Stranded Method by carrying wool not in use, **loosely** across back (the purl side) of work, see below.

Change to No. 8 needles and proceed:—
****1st row:** K3(D). Join (B). *K1(B). 5(D). Repeat from * to last 4 sts. K1(B). 3(D).
2nd row: P2(D). *P3(B). 3(D). Repeat from * to last 5 sts. P3(B). 2(D).
3rd row: K1(D). *K5(B). 1(D). Repeat from * to end of row. Break (D).****

Beginning with purl row, continue even in Stocking st. until work measures 12½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 3 sts. *(14—4 sts.)* *(16—5 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 69 sts. on needle. *(14—73 sts.)* *(16—75 sts.)*.
Work 3 rows even. *(14—3 rows)* *(16—1 row)*.
Break wool and leave these sts. on a thread.

LEFT SLEEVE: With (D) and No. 10 needles cast on 37 sts. *(all sizes)*.
Work 3 ins. (K1. P1) ribbing as given for Back, ending with 1st. row.
Next row: K1. P1. K1. *Inc. 1.st. in next st. purlways. (K1. P1)twice. K1. Repeat from * to last 4 sts. Inc. 1.st. in next st. purlways. K1. P1. K1. (43 sts. on needle).
Change to No. 8 needles and work from ** to ** as given for Back.
Next row: Purl across row. 43 sts. on needle.
(14—Purl, inc. 1.st. at end of needle. 44 sts. on needle)
(16—Purl, inc. 1.st. each end of needle. 45 sts. on needle).

Continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 67 sts. on needle. *(14—70 sts.)* *(16—73 sts.)*.
Continue even until sleeve measures 16½ ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. *(14 and 16—4 sts.)* beginning next 2 rows.
Dec. 1.st. each end of needle on next and following alternate row. 57 sts. on needle. *(14—58 sts.)* *(16—61 sts.)*.
Purl 1 row. Proceed:—

*****1st row:** K2tog. K45. *(14—K2tog. K46)* *(16—K2tog. K48)*. Turn.
2nd and alternate rows: Slip 1st. st. Purl to end of row.
3rd row: K2tog. K34. *(14—K2tog. K34)* *(16—K2tog. K36)*. Turn.
5th row: K2tog. K22. *(14—K2tog. K22)* *(16—K2tog. K24)*. Turn.
7th row: K2tog. K10. *(14—K2tog. K10)* *(16—K2tog. K11)*. Turn.
8th row: Slip 1st. st. Purl to end of row. 53 sts. on needle. *(14—54 sts.)* *(16—57 sts.)*.
Break wool and leave these sts. on a thread.***

RIGHT SLEEVE: Work exactly as given for Left Sleeve until sleeve measures 16½ ins. from beginning, ending with **knit** row.

To shape cap: Cast off 3 sts. *(14 and 16—4 sts.)* beginning next 2 rows.
Dec. 1.st. each end of needle on next (a purl row) and following alternate row. Knit 1 row.
Substituting purl rows for knit rows and knit rows for purl rows, work from *** to *** as given for Left Sleeve.

LEFT FRONT: With (D) and No. 10 needles cast on 43 sts. *(14—45 sts.)* *(16—49 sts.)* and work 3 ins. (K1. P1) ribbing as given for Back, ending with 2nd row. Inc. 1.st. at end of last row for size 14.

Change to No. 8 needles and proceed:—
1st row: K3(D). Join (B). *K1(B). 5(D). Repeat from * to last 4 sts. K1(B). 3(D). *(14—Repeat from * to last st. K1(B).)* *(16 as 12)*.
2nd row: P2(D). *(14—P2(B). 3(D).)* *(16—P2(D).)*. *P3(B). 3(D). Repeat from * to last 5 sts. P3(B). 2(D).
3rd row: K1(D). *K5(B). 1(D). Repeat from * to end of row. *(14—Repeat from * to last 3 sts. K3(B).)* *(16 as 12)*.

(Continued on page 20)

LACE BORDERED CARDIGAN *(Continued from page 2)*

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 16 sts. on needle. *(14—16 sts.)* *(16 and 18—18 sts.)*. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam for ribbing and back stitch seam for Stocking st. sew side, shoulder and sleeve seams. Sew in sleeves. Sew the cast-off sts. of neckband together and placing this seam at centre back of neck, sew in position. Sew buttons to correspond to buttonholes.

THE STRANDED METHOD

Carry wool not in use **loosely** across back (purl side) of work but never over more than 3 sts. When it must pass over more than 3 sts. weave it over and under colour in use on next st. or at centre point of sts. it passes over as follows:—
Hold stranded colour in left hand, letting it pass over left forefinger. Put point of right hand needle into st. as usual and then **under** stranded colour. Knit the st. being careful to bring only required colour through and onto right hand needle. Lower stranded colour when knitting next st. and you will see that it has passed over and under colour being used for knitting. By stretching sts. just worked along right hand needle, be sure wool is not stranded too tightly or too loosely, before working with next colour.

P.B WOOLS

The Classic Cardigan

In Six Sizes *Shown on page 5 (left)*

MATERIALS:
This plain cardigan beautifully expresses that much desired look of quality when you are sure to use Beehive Fingering 3 ply Patonised or Patwin 3 ply Patonised for your knitting. You will need:—8 (1 oz.) balls. *(14 and 16—9 balls) (18 and 20—10 balls) (42—11 balls).* Two No. 12 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. 9 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	34 "	36 "	38 "
Length from top of shoulder	21 "	21 "	21½ "
Length of sleeve underarm seam	17 "	17 "	17 "

MEASUREMENTS:	Size 18	Size 20	Size 42
Bust measurement	38 ins.	40 ins.	42 ins.
Bust measurement of finished garment	40 "	42 "	44 "
Length from top of shoulder	21½ "	22 "	22 "
Length of sleeve underarm seam	17 "	17 "	17 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16, 18, 20 and 42 are written in brackets thus:—( ).

BACK: With No. 12 needles cast on 130 sts. *(14—138 sts.) (16—146 sts.) (18—154 sts.) (20—162 sts.) (42—170 sts.).*
Work 3½ ins. (K1. P1) ribbing.

Change to No. 10 needles and continue even in Stocking st. until work measures 13½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 4 sts. *(14 and 16—5 sts.) (18 and 20—6 sts.) (42—7 sts.)* beginning next 4 rows.
Dec. 1.st. each end of needle on next and every alternate row to 100 sts. on needle. *(14—104 sts.) (16—108 sts.) (18—110 sts.) (20—112 sts.) (42—114 sts.).*
Continue even until armhole from first shaping measures 7½ ins. *(14—7½ ins.) (16 and 18—8 ins.) (20 and 42—8½ ins.)* ending with purl row.

To shape shoulders: Cast off 10 sts. beginning next 4 rows, 11 sts. beginning following 2 rows.
(14—Cast off 11 sts. beginning next 6 rows)
(16—Cast off 11 sts. beginning next 4 rows, 12 sts. beginning following 2 rows)
(18 and 20—Cast off 11 sts. beginning next 2 rows, 12 sts. beginning following 4 rows)
(42—Cast off 12 sts. beginning next 6 rows).
Break wool and leave remaining 38 sts. *(14—38 sts.) (16 and 18—40 sts.) (20 and 42—42 sts.)* on spare needle.

LEFT FRONT: With No. 12 needles cast on 77 sts. *(14—81 sts.) (16—85 sts.) (18—89 sts.) (20—93 sts.) (42—97 sts.).*
1st row: K2. *P1. K1. Repeat from * to last 17 sts. P1. K16. (The last 16 sts. form Stocking st. border and facing at front edge).
2nd row: K1. P15. K1. *P1. K1. Repeat from * to end of row. (side edge).
Repeat these 2 rows for 3½ ins. ending with 2nd row.

Change to No. 10 needles and proceed:—
1st row: Knit to last 17 sts. P1. K16. (front edge).
2nd row: K1. P15. K1. Purl to last st. K1. (side edge).
Repeat these 2 rows until same length as Back to armholes *(all sizes)* then work ½ inch more for sizes 18, 20 and 42, ending at side edge.

To shape armhole: Keeping border at front edge, at armhole edge cast off 4 sts. *(14 and 16—5 sts.) (18 and 20—6 sts.) (42—7 sts.)* every alternate row twice.
Dec. 1.st. at armhole edge every alternate row to 62 sts. on needle. *(14—64 sts.) (16—66 sts.) (18—67 sts.) (20—68 sts.) (42—69 sts.).*
Continue even until armhole from first shaping measures 5 ins. *(14—5 ins.) (16 and 18—5½ ins.) (20 and 42—6 ins.)* ending at armhole edge.

To shape neck: Work to last 25 sts. Leave these 25 sts. on safety pin for neck. **Turn.**
Working on remaining 37 sts. *(14—39 sts.) (16—41 sts.) (18—42 sts.) (20—43 sts.) (42—44 sts.)* continue in Stocking st. dec. 1.st. at neck edge every row to 31 sts. on needle. *(14—33 sts.) (16—34 sts.) (18 and 20—35 sts.) (42—36 sts.).*
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 10 sts. every alternate row twice, 11 sts. once.
(14—Cast off 11 sts. every alternate row 3 times)
(16—Cast off 11 sts. every alternate row twice, 12 sts. once)
(18 and 20—Cast off 11 sts. every alternate row once, 12 sts. twice)
(42—Cast off 12 sts. every alternate row 3 times).

RIGHT FRONT: With No. 12 needles cast on 77 sts. *(14—81 sts.) (16—85 sts.) (18—89 sts.) (20—93 sts.) (42—97 sts.).*
1st row: K16. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: K1. *P1. K1. Repeat from * to last 16 sts. P15. K1. (The last 16 sts. form Stocking st. border and facing at front edge). Repeat these 2 rows for 8 rows in all.
9th row: (1st. buttonhole). K3. Cast off 2 sts. K6. Cast off 2 sts. K3. Rib to end of row.
10th row: Rib to last 12 sts. P3. Cast on 2 sts. P6. Cast on 2 sts. P2. K1.
Working 2 more buttonholes 1½ ins. apart, repeat 1st. and 2nd rows until work measures 3½ ins. from beginning, ending with 2nd row.

Before proceeding, on Left Front, with pins, mark position of 1st. 2nd and 3rd buttons to correspond to buttonholes just worked on Right Front. Mark 5 more button positions approx. 2¾ ins. apart, having 8th one 2½ ins. down from neck edge. The 9th one goes in the 1-inch neckband.

Change to No. 10 needles and proceed:—
1st row: K16. P1. Knit to end of row. (side edge).
2nd row: K1. Purl to last 17 sts. K1. P15. K1. (front edge).

Working buttonholes to correspond to positions marked on Left Front, continue to correspond to Left Front being careful to have all shapings for opposite side.

NECKBAND: Using back stitch seam, sew shoulder seams.
With right side of work facing, slip the 25 sts. of Right Front safety pin onto No. 12 needle. Join wool. Pick up and knit 22 sts. *(14 and 16—23 sts.) (18 and 20—24 sts.) (42—25 sts.)* along right side of neck. Knit across sts. from spare needle at back of neck. Pick up and knit 23 sts. *(14 and 16—24 sts.) (18 and 20—25 sts.) (42—26 sts.)* along left side of neck. Working across the 25 sts. of Left Front safety pin, K8. P1. K16. 133 sts. on needle. *(14—135 sts.) (16—137 sts.) (18—139 sts.) (20—141 sts.) (42—143 sts.).*

1st row: K1. P15. K1. *P1. K1. Repeat from * to last 16 sts. P15. K1.
2nd row: K16. *P1. K1. Repeat from * to last 17 sts. P1. K16.
Working 9th buttonhole approx. 2½ ins. above 8th, repeat these 2 rows for 1 inch. Cast off **loosely** in ribbing.

SLEEVES: With No. 12 needles cast on 60 sts. *(14—60 sts.) (16 and 18—66 sts.) (20 and 42—72 sts.).*
Work 3 ins. (K1. P1) ribbing.

Change to No. 10 needles.

(Continued on page 7)

The Classics





CARDIGAN (above) see page 4

PULLOVERS (right) see page 6

The Classic Pullovers

In Six Sizes *Shown on page 5 (right)*

MATERIALS:
The timeless classic is shown with round neck and short sleeves and "V" neck and three-quarter sleeves. Long sleeves are included to complete these basic instructions for knitting the plain pullover with Beehive Fingering 3 ply Patonised or Patwin 3 ply Patonised. In order to be satisfied with your knitting, be sure to use one or other of these yarns. You will need:—8 (1 oz.) balls. *(14—8 balls) (16 and 18—9 balls) (20 and 42—10 balls)* for Long Sleeves or Three-Quarter Sleeves. Allow 1 ball less for Short Sleeves. Two No. 12 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. One Stitch Holder.

MEASUREMENTS:	Size 12	Size 14	Size 16
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	33 "	35 "	37 "
Length from top of shoulder	20 "	20 "	20½ "
Length of short sleeve underarm seam	5 "	5 "	5 "
Length of long sleeve underarm seam	17 "	17 "	17 "
Length of ¾ sleeve underarm seam	13 "	13 "	13 "

MEASUREMENTS:	Size 18	Size 20	Size 42
Bust measurement	38 ins.	40 ins.	42 ins.
Bust measurement of finished garment	39 "	41 "	43 "
Length from top of shoulder	20½ "	21 "	21 "
Length of short sleeve underarm seam	5 "	5 "	5 "
Length of long sleeve underarm seam	17 "	17 "	17 "
Length of ¾ sleeve underarm seam	13 "	13 "	13 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16, 18, 20 and 42 are written in brackets thus:—( ).

BACK: With No. 12 needles cast on 106 sts. *(14—114 sts.) (16—122 sts.) (18—130 sts.) (20—138 sts.) (42—146 sts.).*
Work 3 ins. (K1. P1) ribbing.
Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 8th row to 126 sts. on needle. *(14—134 sts.) (16—142 sts.) (18—150 sts.) (20—158 sts.) (42—166 sts.).*
Continue even until work measures 13 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 4 sts. *(14 and 16—5 sts.) (18 and 20—6 sts.) (42—7 sts.)* beginning next 4 rows. 110 sts. on needle. *(14—114 sts.) (16—122 sts.) (18—126 sts.) (20—134 sts.) (42—138 sts.).*

Dec. 1.st. each end of needle on next and every alternate row to 96 sts. on needle. *(14—100 sts.) (16—104 sts.) (18—106 sts.) (20—108 sts.) (42—110 sts.).*
Continue even until armhole from first shaping measures 7 ins. *(14—7 ins.) (16 and 18—7½ ins.) (20 and 42—8 ins.)* ending with purl row.

To shape shoulders: Cast off 10 sts. beginning next 6 rows. *(14—Cast off 10 sts. beginning next 2 rows, 11 sts. beginning following 4 rows)*
(16—Cast off 11 sts. beginning next 6 rows)
(18 and 20—Cast off 11 sts. beginning next 4 rows, 12 sts. beginning following 2 rows)
(42—Cast off 11 sts. beginning next 2 rows, 12 sts. beginning following 4 rows).

Do not break wool, but leave remaining 36 sts. *(14—36 sts.) (16 and 18—38 sts.) (20 and 42—40 sts.)* on spare needle.

FRONT: With No. 12 needles cast on 106 sts. *(14—114 sts.) (16—122 sts.) (18—130 sts.) (20—138 sts.) (42—146 sts.)* and working length to underarm ½ inch more for sizes 18, 20 and 42, work exactly as given for Back to 110 sts. on needle *(14—114 sts.) (16—122 sts.) (18—126 sts.) (20—134 sts.) (42—138 sts.)* for both styles.

"V" NECK STYLE: **To shape "V" neck:** K2tog. K51. K2tog. *(14—K2tog. K53. K2tog.) (16—K2tog. K57. K2tog.) (18—K2tog. K59. K2tog.) (20—K2tog. K63. K2tog.) (42—K2tog. K65. K2tog.).*
Leave remaining sts. on st. holder. **Turn.**
Working on these 53 sts. *(14—55 sts.) (16—59 sts.) (18—61 sts.) (20—65 sts.) (42—67 sts.)* dec. 1.st. each end of needle every alternate row to 49 sts. on needle. *(14—49 sts.) (16 and 18—55 sts.) (20—61 sts.) (42—63 sts.).*
Continue in Stocking st. dec. 1.st. at armhole edge every alternate row, at same time, dec. 1.st. at neck edge every 4th row to 43 sts. on needle. *(14—45 sts.) (16, 18 and 20—46 sts.) (42—47 sts.).*
Keeping armhole edge even, continue dec. 1.st. at neck edge every 4th row, to 30 sts. on needle. *(14—32 sts.) (16—33 sts.) (18 and 20—34 sts.) (42—35 sts.).*
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 10 sts. every alternate row 3 times.
(14—Cast off 10 sts. every alternate row once, then 11 sts. twice)
(16—Cast off 11 sts. every alternate row 3 times)
(18 and 20—Cast off 11 sts. every alternate row twice, then 12 sts. once)
(42—Cast off 11 sts. every alternate row once, then 12 sts. twice).

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

To make neckband for "V" neck: Using back stitch seam, sew left shoulder seam. With right side of work facing, No. 12 needles and using the ball attached to Back, knit across sts. at back of neck. Pick up and knit 61 sts. *(14—61 sts.) (16 and 18—65 sts.) (20 and 42—69 sts.)* along left side of neck. Pick up and knit 1.st. at centre front of neck. Pick up and knit 61 sts. *(14—61 sts.) (16 and 18—65 sts.) (20 and 42—69 sts.)* along right side of neck. 159 sts. on needle. *(14—159 sts.) (16 and 18—169 sts.) (20 and 42—179 sts.).*
1st row: *K1. P1. Repeat from * to last st. K1.
2nd row: K2. P1. *K1. P1. Repeat from * to 5 sts. at centre front of neck. P2tog. K1. P2tog. Rib to end of row.
3rd row: *K1. P1. Repeat from * to 5 sts. at centre front of neck. K2tog. P1. K2tog. Rib to end of row.
Repeat 2nd and 3rd rows 4 times more. Cast off **loosely** in ribbing.

ROUND NECK STYLE: Continue in Stocking st. dec. 1.st. each end of needle on next and every alternate row to 96 sts. on needle. *(14—100 sts.) (16—104 sts.) (18—106 sts.) (20—108 sts.) (42—110 sts.).*
Continue even until armhole from first shaping measures 5 ins. *(16 and 18—5½ ins.) (20 and 42—6 ins.)* ending with purl row.

To shape Round neck: K35. *(14—K37) (16—K39) (18—K40) (20—K41) (42—K42).* Leave remaining sts. on spare needle. **Turn.**

Working on these 35 sts. *(14—37 sts.) (16—39 sts.) (18—40 sts.) (20—41 sts.) (42—42 sts.)* continue in Stocking st. dec. 1.st. at neck edge every row to 30 sts. on needle. *(14—32 sts.) (16—33 sts.) (18 and 20—34 sts.) (42—35 sts.).*
Continue even until armhole measures same as Back to shoulders. Shape shoulder as given for "V" neck style.

Leaving next 26 sts. on st. holder for front of neck, with right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

(Continued on page 7)

CLASSIC PULLOVERS *(Continued from page 6)*

To make neckband for Round neck: Using back stitch seam, sew left shoulder seam. With right side of work facing, No. 12 needles and using the ball attached to Back, knit across sts. at back of neck. Pick up and knit 20 sts. *(14 and 16—21 sts.)* *(18 and 20—22 sts.)* *(42—23 sts.)* along left side of neck. Knit across sts. from st. holder at front of neck. Pick up and knit 20 sts. *(14 and 16—21 sts.)* *(18 and 20—22 sts.)* *(42—23 sts.)* along right side of neck. 102 sts. on needle. *(14—104 sts.)* *(16—106 sts.)* *(18—108 sts.)* *(20—110 sts.)* *(42—112 sts.)*.
Work 1 inch (K1. P1) ribbing. Cast off **loosely** in ribbing.

SHORT SLEEVES: With No. 12 needles cast on 76 sts. *(14—76 sts.)* *(16 and 18—84 sts.)* *(20 and 42—92 sts.)*.
Work 1 inch (K1. P1) ribbing.
Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 3rd and every following 4th row to 92 sts. on needle. *(14—92 sts.)* *(16 and 18—100 sts.)* *(20 and 42—108 sts.)*.
Continue even until sleeve measures 5 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 20 sts. on needle. *(14—20 sts.)* *(16 and 18—22 sts.)* *(20 and 42—24 sts.)*. Cast off remaining sts.

LONG SLEEVES: With No. 12 needles cast on 56 sts. *(14—56 sts.)* *(16 and 18—62 sts.)* *(20 and 42—68 sts.)*.
Work 3 ins. (K1. P1) ribbing.
Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 92 sts. on needle. *(14—92 sts.)* *(16 and 18—100 sts.)* *(20 and 42—108 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.
Shape cap as given for Short Sleeves.

THREE-QUARTER SLEEVES: With No. 12 needles cast on 66 sts. *(14—66 sts.)* *(16 and 18—72 sts.)* *(20 and 42—78 sts.)*.
Work 2 ins. (K1. P1) ribbing.
Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 92 sts. on needle. *(14—92 sts.)* *(16 and 18—100 sts.)* *(20 and 42—108 sts.)*.
Continue even until sleeve measures 13 ins. from beginning, or desired length, ending with purl row.
Shape cap as given for Short Sleeves.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam for ribbing and back stitch seam for Stocking st. sew side seams, easing in extra length allowed for front of sizes 18, 20 and 42, 2 ins. below armholes. Sew shoulder and sleeve seams. Sew in sleeves.

CLASSIC CARDIGAN *(Continued from page 4)*

Next row: K4. *Inc. 1.st. in next st. K9. Repeat from * to last 6 sts. Inc. 1.st. in next st. K5. 66 sts. on needle. *(14 as 12)*
*(16 and 18—K4. *Inc. 1.st. in next st. K7. Repeat from * to last 6 sts. Inc. 1.st. in next st. K5. 74 sts. on needle)*
*(20 and 42—K4. *Inc. 1.st. in next st. K6. Repeat from * to last 5 sts. Inc. 1.st. in next st. K4. 82 sts. on needle)*.

Beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 8th row to 98 sts. on needle. *(14—98 sts.)* *(16 and 18—106 sts.)* *(20 and 42—114 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 20 sts. on needle. *(14—20 sts.)* *(16 and 18—22 sts.)* *(20 and 42—24 sts.)*. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam for ribbing and back stitch seam for Stocking st. sew side seams, easing in extra length allowed for fronts of sizes 18, 20 and 42, 2 ins. below armholes. Sew sleeve seams. Sew in sleeves. Turn under front facings and sew in position. Sew in buttonhole st. around each buttonhole. Sew buttons to correspond to buttonholes. With right side of work facing, join wool to lower Right Front corner. Crochet in s.c. along front edge to neck, allowing 2 s.c. for every 3 rows. Turn. Crochet 1.s.s. in each s.c. of previous row, being careful to keep work even. Fasten off. Crochet along edge of Left Front to correspond.

The Boat Neck Pullover

Shown on page 1 (left)

MATERIALS, MEASUREMENTS and TENSION same as for Classic Pullover on page 6.

BACK AND FRONT: Work exactly as given for Back of Classic Pullover until armholes are shaped and there are 96 sts. on needle. *(14—100 sts.)* *(16—104 sts.)* *(18—106 sts.)* *(20—108 sts.)* *(42—110 sts.)*.
Continue even until armhole from first shaping measures 5½ ins. *(14—5½ ins.)* *(16 and 18—6 ins.)* *(20 and 42—6½ ins.)* ending with **knit** row.

Change to No. 12 needles and proceed:—
1st row: Knit.
2nd row: K2. *Wl.fwd. K2tog. Repeat from * to end of row.
3rd row: Knit.
Work 1¼ ins. (K1. P1) ribbing.

To shape shoulders: Keeping continuity of ribbing, cast off 4 sts. beginning next 10 rows.
Dec. 1.st. each end of needle on next 2 rows. *(14—3 rows)* *(16, 18, 20 and 42—4 rows)*.
Cast off remaining 52 sts. *(14—54 sts.)* *(16—56 sts.)* *(18—58 sts.)* *(20—60 sts.)* *(42—62 sts.)* **loosely** for neck, being sure this edge will stretch out to at least 10½ ins. so that neck of sweater will slip over head.

SLEEVES: Work exactly as given for Sleeves (your choice of length) of Classic Pullover.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam for ribbing and back stitch seam for Stocking st. sew side, shoulder and sleeve seams. Sew in sleeves.

ELITE CARDIGAN *(Continued from page 8)*

NECKBAND: Using back stitch seam, sew shoulder seams. With right side of work facing, slip the 17 sts. of Right Front safety pin onto No. 11 needle. Join wool. Pick up and knit 20 sts. *(18—22 sts.)* *(20—21 sts.)* *(42—23 sts.)* along right side of neck. Knit across sts. from spare needle at back of neck. Pick up and knit 20 sts. *(18—22 sts.)* *(20—21 sts.)* *(42—23 sts.)* along left side of neck. K12. Sl.1 purlways. K4 from Left Front safety pin. 112 sts. on needle. *(18 and 20—116 sts.)* *(42—120 sts.)*.
1st row: K4. P1. K4. *P2. K2. Repeat from * to last 11 sts. P2. K4. P1. K4.
2nd row: K4. Sl.1 purlways. K6. *P2. K2. Repeat from * to last 9 sts. K4. Sl.1 purlways. K4.
Repeat these 2 rows for 1½ ins. Cast off **loosely** in ribbing.

SLEEVES: With No. 11 needles cast on 64 sts. *(18—64 sts.)* *(20 and 42—68 sts.)*.
Work 3 ins. (K2. P2) ribbing, increasing across last row to 70 sts. on needle. *(18—70 sts.)* *(20 and 42—78 sts.)*.

Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 8th row to 100 sts. on needle. *(18—100 sts.)* *(20 and 42—108 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 18 sts. on needle. *(18—18 sts.)* *(20 and 42—20 sts.)*. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam for ribbing and back stitch seam for Stocking st. sew side seams, easing in extra length allowed for fronts, 2 ins. below armholes. Sew sleeve seams. Sew in sleeves. Turn under front facings on the slipped st. rib and sew in position. On edge of Right Front mark positions for 7 button loops, as illustrated, the 1st. button loop approx. 2½ ins. from bottom, the remaining 6 approx. 2¾ ins. apart. With wool, sew 4 strands ¾ inch long. Over these 4 strands, sew in buttonhole stitch firmly and evenly. Sew buttons on Left Front to correspond to button loops.

P.B WOOLS

The Elite Cardigan

Given in Larger Sizes *Shown on Cover (left)*

MATERIALS:
So charming in its studied simplicity, this cardigan is a delight to knit when you are sure to use Beehive Fingering 4 ply Patonised or Patwin 4 ply Patonised, the high quality yarns with which the accuracy of these instructions were tested. You will require:—12 (1 oz.) balls. *(18 and 20—13 balls)* *(42—14 balls)*. Two No. 11 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. 7 Buttons.

MEASUREMENTS:	Size 16	Size 18	Size 20	Size 42
Bust measurement	36 ins.	38 ins.	40 ins.	42 ins.
Bust measurement of finished garment	38 "	40 "	42 "	44 "
Length from top of shoulder	21 "	21 "	21½ "	21½ "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 7½ sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 16. Any changes necessary for sizes 18, 20 and 42 are written in brackets thus:—( ).

BACK: With No. 11 needles cast on 136 sts. *(18—144 sts.)* *(20—152 sts.)* *(42—160 sts.)*.
1st row: K3. *P2. K2. Repeat from * to last st. K1.
2nd row: K1. *P2. K2. Repeat from * to last 3 sts. P2. K1.
Repeat these 2 rows of (K2. P2) ribbing for 3½ ins. ending with 2nd row.
Change to No. 10 needles and continue even in Stocking st. until work measures 13 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 3 sts. *(18 and 20—4 sts.)* *(42—5 sts.)* beginning next 6 rows, then dec. 1.st. each end of needle on next and every alternate row to 102 sts. on needle. *(18—104 sts.)* *(20—106 sts.)* *(42—108 sts.)*.
Continue even until armhole from first shaping measures 7 ins. *(18—7 ins.)* *(20 and 42—7½ ins.)* ending with **knit** row. Proceed:—

1st row: (wrong side facing). K1. P30. *(18—K1. P31)* *(20—K1. P32)* *(42—K1. P33)*. K40. Purl to last st. K1.
2nd, 4th, 6th and 8th rows: Knit.
3rd row: K1. P27. *(18—K1. P28)* *(20—K1. P29)* *(42—K1. P30)*. K46. Purl to last st. K1.
5th row: K1. P25. *(18—K1. P26)* *(20—K1. P27)* *(42—K1. P28)*. K50. Purl to last st. K1.
7th row: K1. P23. *(18—K1. P24)* *(20—K1. P25)* *(42—K1. P26)*. K54. Purl to last st. K1.
9th row: K1. P22. *(18—K1. P23)* *(20—K1. P24)* *(42—K1. P25)*. K56. Purl to last st. K1.

To shape shoulders: 1st row: Cast off 11 sts. Knit to end of row.
2nd row: Cast off 11 sts. P11. *(18—Cast off 11 sts. P12)* *(20—Cast off 11 sts. P13)* *(42—Cast off 11 sts. P14)*. K58. Purl to end of row.
3rd row: Cast off 11 sts. Knit to end of row.
4th row: Cast off 11 sts. Knit to end of row. *(18 as 16)*
(20—Cast off 11 sts. P1. K60. P1)
(42—Cast off 11 sts. P2. K60. P2).
5th and 6th rows: Cast off 10 sts. *(18 and 20—11 sts.)* *(42—12 sts.)*. Knit to end of row.
Break wool and leave remaining 38 sts. *(18—38 sts.)* *(20 and 42—40 sts.)* on spare needle.

LEFT FRONT: With No. 11 needles cast on 72 sts. *(18—76 sts.)* *(20—80 sts.)* *(42—84 sts.)*.
1st row: K3. *P2. K2. Repeat from * to last 9 sts. K4. Keeping wool at back of work, slip next st. purlways. K4. (The last 9 sts. form Garter st. border and facing at front edge).
2nd row: K4. P1. K4. *P2. K2. Repeat from * to last 3 sts. P2. K1. (side edge).
Repeat these 2 rows for 3½ ins. ending with 2nd row.
Change to No. 10 needles and proceed:—
1st row: Knit to last 5 sts. Sl.1 purlways. K4.
2nd row: K4. P1. K4. Purl to last st. K1.
Repeat these 2 rows until work measures 13½ ins. from beginning, ending at side edge.

To shape armhole: Keeping border at front edge, at armhole edge cast off 3 sts. *(18 and 20—4 sts.)* *(42—5 sts.)* every alternate row 3 times.
Dec. 1.st. at armhole edge every alternate row to 55 sts. on needle. *(18—56 sts.)* *(20—57 sts.)* *(42—58 sts.)*.
Continue even until armhole from first shaping measures 4½ ins. *(18—4½ ins.)* *(20 and 42—5 ins.)* ending with **knit** row. Proceed:—
1st row: (wrong side facing). K4. P1. K18. Purl to last st. K1. (armhole edge).
2nd and alternate rows: Knit to last 5 sts. Sl. 1 purlways. K4. (front edge).
3rd row: K4. P1. K21. Purl to last st. K1.
5th row: K4. P1. K23. Purl to last st. K1.
7th row: K4. P1. K25. Purl to last st. K1.
9th row: K4. P1. K26. Purl to last st. K1.
11th row: K4. P1. K27. Purl to last st. K1.
13th row: K4. P1. K28. Purl to last st. K1.
15th row: K4. P1. K29. Purl to last st. K1. Proceed:—

To shape neck: (right side facing). Knit to last 19 sts. K2tog. Leave remaining 17 sts. on safety pin for neck. **Turn.**
Working on these 37 sts. *(18—38 sts.)* *(20—39 sts.)* *(42—40 sts.)* K2tog. K14. Purl to last st. K1.
Keeping 21 sts. *(18—22 sts.)* *(20—23 sts.)* *(42—24 sts.)* in Stocking st. at armhole edge and remaining sts. in Garter st. (plain knitting every row) at neck edge, dec. 1.st. at neck edge every row to 32 sts. on needle. *(18 and 20—33 sts.)* *(42—34 sts.)*.
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: Keeping Garter st. border at neck edge, at armhole edge, cast off 11 sts. every alternate row twice, 10 sts. *(18 and 20—11 sts.)* *(42—12 sts.)* once.

RIGHT FRONT: With No. 11 needles cast on 72 sts. *(18—76 sts.)* *(20—80 sts.)* *(42—84 sts.)*.
1st row: K4. Sl.1 purlways. K6. *P2. K2. Repeat from * to last st. K1. (side edge).
2nd row: K1. P2. *K2. P2. Repeat from * to last 9 sts. K4. P1. K4. (The last 9 sts. form Garter st. border and facing at front edge).
Repeat these 2 rows for 3½ ins. ending with 2nd row.
Change to No. 10 needles and proceed:—
1st row: K4. Sl.1 purlways. Knit to end of row.
2nd row: K1. Purl to last 9 sts. K4. P1. K4.

Continue to correspond to Left Front until armhole from first shaping measures 4½ ins. *(18—4½ ins.)* *(20 and 42—5 ins.)* ending with **knit** row. Proceed:—
1st row: (wrong side facing). K1. Purl to last 23 sts. K18. P1. K4. (front edge).
2nd and alternate rows: K4. Sl.1 purlways. Knit to end of row. (armhole edge).
3rd row: K1. Purl to last 26 sts. K21. P1. K4.
5th row: K1. Purl to last 28 sts. K23. P1. K4.
7th row: K1. Purl to last 30 sts. K25. P1. K4.
9th row: K1. Purl to last 31 sts. K26. P1. K4.
11th row: K1. Purl to last 32 sts. K27. P1. K4.
13th row: K1. Purl to last 33 sts. K28. P1. K4.
15th row: K1. Purl to last 34 sts. K29. P1. K4. Proceed:—

To shape neck: (right side facing). K17. Leave these 17 sts. on safety pin for neck. K2tog. Knit to end of row.
Working on these 37 sts. *(18—38 sts.)* *(20—39 sts.)* *(42—40 sts.)* purl to last 16 sts. K14. K2tog.
Continue to correspond to Left Front, being careful to have shoulder shaping for opposite side.

(Continued on page 7)

The Elite Pullover

Long Sleeves are also included

MATERIALS:
Styled in the classic manner, this pullover has the same deft touch of ridges around the neck as the cardigan with which it is shown on Cover. When you knit it with Beehive Fingering 3 ply Patonised or Patwin 3 ply Patonised you will have a delightful companion sweater for the cardigan. You will require:—7 (1 oz.) balls. ***(18—7 balls) (20 and 42—8 balls)***. Allow 2 balls extra for Long Sleeves. Two No. 12 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. One Stitch Holder.

MEASUREMENTS:	Size 16	Size 18	Size 20	Size 42
Bust measurement	36 ins.	38 ins.	40 ins.	42 ins.
Bust measurement of finished garment	37 "	39 "	41 "	43 "
Length from top of shoulder	20 "	20 "	20½ "	20½ "
Length of short sleeve underarm seam	5 "	5 "	5 "	5 "
Length of long sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 16. Any changes necessary for sizes 18, 20 and 42 are written in brackets thus:—( ).

BACK: With No. 12 needles cast on 124 sts. ***(18—132 sts.) (20—140 sts.) (42—148 sts.)***.
Work 3½ ins. (K2. P2) ribbing.

Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 8th row to 142 sts. on needle. ***(18—150 sts.) (20—158 sts.) (42—166 sts.)***.
Continue even until work measures 12½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 3 sts. ***(18 and 20—4 sts.) (42—5 sts.)*** beginning next 6 rows, then dec. 1.st. each end of needle on next and every alternate row to 104 sts. on needle. ***(18—106 sts.) (20—108 sts.) (42—110 sts.)***.
Continue even until armhole from first shaping measures 6½ ins. ***(18—6½ ins.) (20 and 42—7 ins.)*** ending with **knit** row. Proceed:—

1st row: (wrong side facing). K1. P30. ***(18—K1. P31) (20—K1. P32) (42—K1. P33)***. K42. Purl to last st. K1.
2nd, 4th, 6th and 8th rows: Knit.
3rd row: K1. P27. ***(18—K1. P28) (20—K1. P29) (42—K1. P30)***. K48. Purl to last st. K1.
5th row: K1. P25. ***(18—K1. P26) (20—K1. P27) (42—K1. P28)***. K52. Purl to last st. K1.
7th row: K1. P23. ***(18—K1. P24) (20—K1. P25) (42—K1. P26)***. K56. Purl to last st. K1.
9th row: K1. P22. ***(18—K1. P23) (20—K1. P24) (42—K1. P25)***. K58. Purl to last st. K1.

To shape shoulders: 1st row: Cast off 11 sts. Knit to end of row.
2nd row: Cast off 11 sts. P11. ***(18—Cast off 11 sts. P12) (20—Cast off 11 sts. P13) (42—Cast off 11 sts. P14)***. K60. Purl to end of row.
3rd row: Cast off 11 sts. ***(18 and 20—11 sts.) (42—12 sts.)***. Knit to end of row.
4th row: Cast off 11 sts. Knit to end of row. ***(18 as 16) (20—Cast off 11 sts. P1. K62. P1) (42—Cast off 12 sts. P1. K62. P1)***.
5th and 6th rows: Cast off 11 sts. ***(18, 20 and 42—12 sts.)***. Knit to end of row.
Do not break wool, but leave remaining 38 sts. ***(18—38 sts.) (20 and 42—40 sts.)*** on spare needle.

FRONT: With No. 12 needles cast on 124 sts. ***(18—132 sts.) (20—140 sts.) (42—148 sts.)*** and working length to underarm 13 ins. instead of 12½ ins. work exactly as given for Back to 104 sts. on needle. ***(18—106 sts.) (20—108 sts.) (42—110 sts.)***.
Continue even until armhole from first shaping measures 4 ins. ***(18—4 ins.) (20 and 42—4½ ins.)*** ending with **knit** row. Proceed:—

1st row: (wrong side facing). K1. P34. ***(18—K1. P35) (20—K1. P36) (42—K1. P37)***. K34. Purl to last st. K1.
2nd and alternate rows: Knit.
3rd row: K1. P31. ***(18—K1. P32) (20—K1. P33) (42—K1. P34)***. K40. Purl to last st. K1.
5th row: K1. P29. ***(18—K1. P30) (20—K1. P31) (42—K1. P32)***. K44. Purl to last st. K1.
7th row: K1. P27. ***(18—K1. P28) (20—K1. P29) (42—K1. P30)***. K48. Purl to last st. K1.
9th row: K1. P25. ***(18—K1. P26) (20—K1. P27) (42—K1. P28)***. K52. Purl to last st. K1.
11th row: K1. P23. ***(18—K1. P24) (20—K1. P25) (42—K1. P26)***. K56. Purl to last st. K1.
13th row: K1. P22. ***(18—K1. P23) (20—K1. P24) (42—K1. P25)***. K58. Purl to last st. K1.
15th row: K1. P21. ***(18—K1. P22) (20—K1. P23) (42—K1. P24)***. K60. Purl to last st. K1. Proceed:—

To shape neck: (right side facing). K37. K2tog. ***(18—K38. K2tog.) (20—K39. K2tog.) (42—K40. K2tog.)***. Leave remaining sts. on stitch holder. **Turn.**
Working on these 38 sts. ***(18—39 sts.) (20—40 sts.) (42—41 sts.)*** K2tog. K15. Purl to last st. K1.
Keeping 21 sts. ***(18—22 sts.) (20—23 sts.) (42—24 sts.)*** in Stocking st. at armhole edge and remaining sts. in Garter st. (plain knitting every row) at neck edge, dec. 1.st. at neck edge every row to 33 sts. on needle. ***(18 and 20—34 sts.) (42—35 sts.)***.
Continue even until armhole measures same as Back to shoulders.

(Continued on page 13)

The Raglan Jacket

Shown on page 11 (left)

MATERIALS:
Of special note in this design are the raglan sleeves outlined in a simple Garter Stitch pattern and the slash pockets, similarly accented. Beehive Caressa is the wool to use when knitting from these instructions, in order to assure yourself of a completely satisfactory garment. You will require:—10 (2 oz.) skeins. (*16 and 18—10 skeins*) (*20—11 skeins*). Two No. 6 Beehive Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Caressa. One Large Crochet Hook such as a No. 7 Plastic Crochet Hook (American Gauge). Two Stitch Holders. 6 Buttons.

MEASUREMENTS:	Size 14	Size 16	Size 18	Size 20
Bust measurement	34 ins.	36 ins.	38 ins.	40 ins.
Bust measurement of finished garment	37 "	39 "	41 "	43 "
Length at centre back (excluding collar)	22 "	22½ "	22½ "	23 "
Length of sleeve underarm seam	13½ "	13½ "	13½ "	13½ "

Tension: 9 sts. and 12 rows = 2 ins. with No. 6 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16, 18 and 20 are written in brackets thus:—( ).

BACK: Cast on 79 sts. (*16—83 sts.*) (*18—88 sts.*) (*20—92 sts.*).
Work 14 ins. even in Stocking st. or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 2 sts. (*16 and 18—3 sts.*) (*20—4 sts.*) beginning next 2 rows. Proceed:—

1st, 3rd, 5th, 7th and 9th rows: K1. K2tog. Knit to last 3 sts. K2tog. K1.
2nd row: P1. K6. Purl to last 7 sts. K6. P1.
4th row: P1. K5. Purl to last 6 sts. K5. P1.
6th row: P1. K4. Purl to last 5 sts. K4. P1.
8th row: P1. K3. Purl to last 4 sts. K3. P1.
10th row: P1. K2. Purl to last 3 sts. K2. P1. These 10 rows complete one pattern for raglan edges and the decreases are set 1.st. from each armhole edge.
Continue in pattern to 29 sts. on needle. (*16—29 sts.*) (*18 and 20—34 sts.*).
Keeping continuity of pattern, dec. 1.st. each end of needle every row to 23 sts. on needle. (*16—23 sts.*) (*18 and 20—24 sts.*). Cast off.

LEFT FRONT: **To make pocket piece:** Cast on 18 sts. Work 18 rows Stocking st. ending with purl row.
Break wool. Leave these sts. on spare needle.

Cast on 44 sts. (*16—46 sts.*) (*18—48 sts.*) (*20—50 sts.*).
1st row: Knit.
2nd row: K8 for Garter st. border at front edge. Purl to end of row. (side edge).
Repeat these 2 rows for 18 rows in all, ending with purl row.
19th row: K10. Leave remaining sts. on st. holder. With right side of work facing, knit the 18 sts. of pocket piece.
Beginning with purl row, work 29 rows even in Stocking st. on these 28 sts. ending with **purl** row.
Next row: Knit to last 2 sts. Cast off these 2 sts. Break wool. Leave remaining 26 sts. on st. holder.

With right side of work facing, join wool to the 34 sts. (*16—36 sts.*) (*18—38 sts.*) (*20—40 sts.*). on st. holder.

****1st, 3rd, 5th, 7th and 9th rows:** K1. K2tog. Knit to end of row.
2nd row: K8. Purl to last 7 sts. K6. P1.
4th row: K8. Purl to last 6 sts. K5. P1.
6th row: K8. Purl to last 5 sts. K4. P1.
8th row: K8. Purl to last 4 sts. K3. P1.
10th row: K8. Purl to last 3 sts. K2. P1.
Repeat these 10 rows twice more, then 1st. row once.** 18 sts. on needle. (*16—20 sts.*) (*18—22 sts.*) (*20—24 sts.*).
Next row: K8. Purl to end of row. Purl the 26 sts. from st. holder. 44 sts. on needle. (*16—46 sts.*) (*18—48 sts.*) (*20—50 sts.*).
Keeping Garter st. border at front edge, continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping Garter st. border at Front edge, cast off 2 sts. (*16 and 18—3 sts.*) (*20—4 sts.*) beginning next row for armhole. Work 1 row even.
Repeat from ** to ** to 26 sts. on needle (*16—27 sts.*) (*18—29 sts.*) (*20—30 sts.*) ending at front edge.

To shape neck: Cast off 9 sts. Purl to last 7 sts. K6. P1.
Keeping continuity of pattern, continue dec. 1. st. at armhole edge on next and every alternate row, at same time dec. 1. st. at neck edge every row 5 times.
Keeping neck edge even, continue dec. 1.st. at armhole edge every alternate row to 5 sts. on needle (*16—5 sts.*) (*18 and 20—7 sts.*) then every row to 2 sts. on needle. Cast off.

RIGHT FRONT: Make pocket piece as given for Left Front, working 19 rows, thus ending with **knit** row.

Cast on 44 sts. (*16—46 sts.*) (*18—48 sts.*) (*20—50 sts.*).
1st row: Knit.
2nd row: (side edge). Purl to last 8 sts. K8 for Garter st. border at front edge.
Repeat these 2 rows for 16 rows in all, ending with purl row.
17th row: (1st. buttonhole). K3. Cast off 2 sts. Knit to end of row.
18th row: Purl to last 6 sts. K3. Cast on 2 sts. K3.
Before proceeding, on Left Front, with pins, mark position of 1st. button to correspond to buttonhole just worked on Right Front. Mark 5 more button positions approx. 3 ins. apart having the 6th one ½ inch down from neck edge.
19th row: Knit.
20th row: P10. Leave remaining sts. on st. holder. With wrong side of work facing, purl the 18 sts. of pocket piece.
Beginning with knit row, work 29 rows even in Stocking st. on these 28 sts. ending with **knit** row.
Next row: Purl to last 2 sts. Cast off these 2 sts. Break wool. Leave remaining 26 sts. on st. holder.

With wrong side of work facing, join wool to the 34 sts. (*16—36 sts.*) (*18—38 sts.*) (*20—40 sts.*) on st. holder. Purl to last 8 sts. K8.

****1st, 3rd, 5th, 7th and 9th rows:** Knit to last 3 sts. K2tog. K1.
2nd row: P1. K6. Purl to last 8 sts. K8.
4th row: P1. K5. Purl to last 8 sts. K8.
6th row: P1. K4. Purl to last 8 sts. K8.
8th row: P1. K3. Purl to last 8 sts. K8.
10th row: P1. K2. Purl to last 8 sts. K8.
Working buttonholes to correspond to positions marked on Left Front, repeat these 10 rows twice more, then 1st. row once.***
Knit the 26 sts. from st. holder. 44 sts. on needle. (*16—46 sts.*) (*18—48 sts.*) (*20—50 sts.*).
Working buttonholes to correspond to positions marked on Left Front, continue even until same length as Back to armholes, ending at side edge.

To shape armhole: Cast off 2 sts. (*16 and 18—3 sts.*) (*20—4 sts.*) beginning next row for armhole.
Repeat from *** to ***. 26 sts. on needle. (*16—27 sts.*) (*18—29 sts.*) (*20—30 sts.*).
Next row: P1. K6. Purl to last 8 sts. K8.
Cast off 9 sts. beginning next row for neck, continue to correspond to Left Front being careful to have all shapings for opposite side.

(Continued on page 13)

The Raglan Jacket

See page 10

The Two-Tone Cardigan

See page 12

The Two-Tone Cardigan

Shown on page 11 (right)

MATERIALS:
The stitch pattern used in this cardigan is really quite easy to do and the best colour effect is obtained when you are sure to use combinations of the outstanding solid shades, heathers or marls that are available in Beehive Fingering 3 ply Patonised. You will require:—4 (1 oz.) balls Dark (B). *(14—4 balls) (16 and 18—5 balls)* and 5 balls Light (A). *(14 and 16—6 balls) (18—7 balls).* Two No. 12 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Fingering 3 ply Patonised. 12 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length from top of shoulder	20½ "	20½ "	21 "	21 "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.
7 sts. and 12 rows = 1 inch with No. 10 needles in Pattern.

Check tension—see page 29.

For Washing Instructions—see page 29.

PATTERN: **1st row:** With (A), knit.
2nd row: With (A), K1. Purl to last st. K1.
Repeat 1st. and 2nd rows once.
5th row: With (B), K3. *Drop next st. off left hand needle and unravel it for 4 rows until 1st. (B) st. appears. Pass right hand needle from front to back into this (B) st. and under the 4 (A) strands, thus gathering them together and knit this (B) st. as usual. (The working of a st. in this manner will be termed "Drop and Knit" throughout). K3. Repeat from * to end of row.
6th row: With (B), K1. Purl to last st. K1.
Repeat 1st. and 2nd rows twice.
11th row: With (B), K1. *Drop and Knit next st. K3. Repeat from * to last 2 sts. Drop and Knit next st. K1.
12th row: With (B), K1. Purl to last st. K1. These 12 rows complete one pattern.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

BACK: With (B) and No. 12 needles cast on 125 sts. *(14—133 sts.) (16—137 sts.) (18—145 sts.).*
1st row: K1. *P1. K1. Repeat from * to end of row. Repeat this row for Moss st. for 13 rows in all.
Next row: Moss 2. *(14—Moss 6) (16—Moss 10) (18—Moss 14).* *K2tog. Moss 7. Repeat from * 12 times more. K2tog. Moss to end of row. 111 sts. on needle. *(14—119 sts.) (16—123 sts.) (18—131 sts.).*

Change to No. 10 needles. Join (A).
Carrying the (A) and (B) wools from one stripe to next by passing the colour to be used, underneath the colour just used, when starting next stripe, continue even in pattern until work measures 13 ins. from beginning, or desired length, ending with purl row after a Drop and Knit row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Keeping continuity of pattern, cast off 6 sts. *(14 and 16—7 sts.) (18—8 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 87 sts. on needle. *(14—91 sts.) (16—95 sts.) (18—99 sts.).*

Continue even until armhole from first shaping measures 7½ ins. *(14—7½ ins.) (16 and 18—8 ins.)* ending with a Drop and Knit row.
Next row: Cast off 28 sts. *(14 and 16—30 sts.) (18—32 sts.)* purlways. P31. *(14—P31) (16 and 18—P35)* for back of neck. Cast off remaining 28 sts. *(14 and 16—30 sts.) (18—32 sts.)* purlways. Leave neck sts. on spare needle.

LEFT FRONT: With (B) and No. 12 needles cast on 67 sts. *(14—71 sts.) (16—75 sts.) (18—79 sts.).*
Work 13 rows Moss st.
Next row: Moss 13. *K2tog. Moss 7. Repeat from * 4 times more. K2tog. Moss 5. K2tog. 60 sts. on needle.
*(14—Moss 13. * K2tog. Moss 7. Repeat from * 5 times more. K2tog. Moss 2. 64 sts. on needle)*
*(16—Moss 13. * K2tog. Moss 7. Repeat from * 5 times more. K2tog. Moss 6. 68 sts. on needle)*
*(18—Moss 13. * K2tog. Moss 7. Repeat from * 5 times more. Moss 10. 72 sts. on needle).*

Change to No. 10 needles. Join (A) and proceed:—
Next row: Work 1st. pattern row to last 9 sts. Leave these 9 sts. on safety pin to be worked later for front border.
Beginning with 2nd pattern row continue even on remaining 51 sts. *(14—55 sts.) (16—59 sts.) (18—63 sts.)* until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 6 sts. *(14 and 16—7 sts.) (18—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 39 sts. on needle. *(14—41 sts.) (16—43 sts.) (18—45 sts.).*
Continue even until armhole from first shaping measures 5 ins. *(14—5 ins.) (16 and 18—5½ ins.)* ending at armhole edge.

To shape neck: Work to last 7 sts. Leave these 7 sts. on safety pin for neck. **Turn.**
Working on remaining 32 sts. *(14—34 sts.) (16—36 sts.) (18—38 sts.)* continue in pattern, dec. 1.st. at neck edge every row to 28 sts. on needle. *(14 and 16—30 sts.) (18—32 sts.).*
Continue even until armhole measures same as Back to shoulders, ending with a Drop and Knit row. Cast off purlways.

To make button border: Slip the 9 sts. left for border of Left Front onto a No. 12 needle. Join (B) at inside edge and work even in Moss st. for length sufficient to go along front edge to neck, ending at inside edge. For a neat fit this length will be 206 rows. Break wool and leave these 9 sts. on safety pin with the 7 sts. of neck.

RIGHT FRONT: With (B) and No. 12 needles cast on 67 sts. *(14—71 sts.) (16—75 sts.) (18—79 sts.).*
Work 13 rows Moss st.
Next row: K2tog. Moss 5. *K2tog. Moss 7. Repeat from * to last 15 sts. K2tog. Moss 4.
*(14—Moss 2. * K2tog. Moss 7. Repeat from * to last 15 sts. K2tog. Moss 4)*
*(16—Moss 6. * K2tog. Moss 7. Repeat from * to last 15 sts. K2tog. Moss 4)*
*(18—Moss 10. * K2tog. Moss 7. Repeat from * to last 15 sts. K2tog. Moss 4).*
Leave remaining 9 sts. on safety pin to be worked later for front border. 51 sts. on needle. *(14—55 sts.) (16—59 sts.) (18—63 sts.).*

Change to No. 10 needles. Join (A) and beginning with 1st. pattern row, continue in pattern to correspond to Left Front being careful to have all shapings for opposite side.

To make buttonhole border: Slip the 9 sts. left for border of Right Front onto a No. 12 needle. Join (B) and work 1 row Moss st. ending at outside edge.
Next row: (1st. buttonhole). Moss 3. Cast off 3 sts. Moss 3.
Next row: Moss 3. Cast on 3 sts. Moss 3.

Working buttonholes on every 18th and 19th rows, continue even in Moss st. until 14 rows have been worked above 11th buttonhole, ending at outside edge. 206 rows in all. **Do not break wool.**

NECKBAND: Using flat seam, sew shoulder seams. Moss st. across border. With right side of work facing, knit the sts. of Right Front safety pin onto No. 12 needle with 9 sts. of border. Pick up and knit 25 sts. *(14 and 16—26 sts.) (18—27 sts.)* along right side of neck. Knit across sts. from spare needle at back of neck. Pick

(Continued on page 13)

TWO-TONE CARDIGAN *(Continued from page 12)*

up and knit 25 sts. *(14 and 16—26 sts.)* *(18—27 sts.)* along left side of neck. Working across sts. of Left Front safety pin, K7. Moss 9. 113 sts. on needle. *(14—115 sts.)* *(16—119 sts.)* *(18—121 sts.)*.
Working 12th buttonhole on following 3rd and 4th rows, work 13 rows Moss st. in all. Cast off **loosely** in Moss st.

SLEEVES: With (B) and No. 12 needles cast on 53 sts. *(14—53 sts.)* *(16 and 18—61 sts.)*.
Work 13 rows Moss st.
Next row: Moss 2. *(14—Moss 2)* *(16 and 18—Moss 6)*. *K2tog. Moss 7. Repeat from * 4 times more. K2tog. Moss to end of row. 47 sts. on needle. *(14—47 sts.)* *(16 and 18—55 sts.)*.

Change to No. 10 needles. Join (A) and work one complete pattern. Keeping continuity of pattern and working increased sts. in pattern inc. 1.st. each end of needle on next and every following 8th row to 83 sts. on needle. *(14—83 sts.)* *(16 and 18—91 sts.)*.
Continue even in pattern until sleeve measures approx. 17 ins. from beginning, or desired length, ending with purl row after a Drop and Knit row.

To shape cap: Keeping continuity of pattern, cast off 4 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 23 sts. on needle *(14—23 sts.)* *(16 and 18—25 sts.)* ending with a Drop and Knit row. Cast off remaining sts. purlways.

TO MAKE UP: Using flat seam, sew side and sleeve seams. Sew in sleeves. Sew front borders in position. Sew buttons to correspond to buttonholes. Press seams carefully. It is advisable to sew a continuous length of grosgrain ribbon, ½ inch wide, cut to desired size, across each shoulder and back of neck. This will prevent the overstretching of shoulders and neck during wearing and washing. Extra care should be taken when laying this garment out to dry, after washing, not to flatten the pattern.

RAGLAN JACKET *(Continued from page 10)*

SLEEVES: Cast on 29 sts. *(16 and 18—31 sts.)* *(20—33 sts.)*.
Knit 17 rows Garter st. (plain knitting every row).
18th row: K1. *Inc. 1.st. in next st. K1. Repeat from * to end of row. 43 sts. on needle. *(16 and 18—46 sts.)* *(20—49 sts.)*.

Beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every following 8th row *(16—8th row)* *(18 and 20—7th row)* to 59 sts. on needle. *(16—62 sts.)* *(18—64 sts.)* *(20—67 sts.)*.
Continue even until sleeve measures 13½ ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. *(16 and 18—3 sts.)* *(20—4 sts.)* beginning next 2 rows.
Repeat 1st. to 10th rows of pattern for raglan edges as given for Back to 7 sts. on needle. *(16 and 18—6 sts.)* *(20—5 sts.)*. Cast off.

COLLAR: Cast on 104 sts. *(16—104 sts.)* *(18 and 20—108 sts.)*.
1st and alternate rows: Knit.
2nd row: K15. Sl.1. K2tog. p.s.s.o. Knit to last 18 sts. Sl.1. K2tog. p.s.s.o. K15.
4th row: K14. Sl.1. K2tog. p.s.s.o. Knit to last 17 sts. Sl.1. K2tog. p.s.s.o. K14.
6th row: K13. Sl.1. K2tog. p.s.s.o. for corner. Knit to last 16 sts. Sl.1. K2tog. p.s.s.o. for corner. K13.
Continue decreasing for corners in this manner every alternate row, that is, having 1.st. less at each end of work until the row—K1. Sl.1. K2tog. p.s.s.o. Knit to last 4 sts. Sl.1. K2tog. p.s.s.o. K1.—has been worked.
Next row: (right side of work). Sl.1. K2tog. p.s.s.o. Knit to last 3 sts. Sl.1. K2tog. p.s.s.o.
Continue in Garter st. casting off 3 sts. beginning next 6 rows. Cast off remaining sts. The neck edge of collar is the cast-off row and the ends of rows. The outer edge is the entire cast-on edge.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam, sew side and sleeve seams. Sew in sleeves. Sew side edges of pocket pieces in position on wrong side, bringing the cast-on edges down to meet the cast-on edges of fronts. Placing ends even with each front edge, sew collar around neck. With right side of work facing, join wool at corner of Left Front and crochet firmly in s.c. along cast-on edge, working through edge of front and edge of pocket piece to join. Work 1 row s.c. along edge of each pocket. Sew buttons to correspond to buttonholes.

ELITE PULLOVER *(Continued from page 9)*

To shape shoulder: Keeping Garter st. border at neck edge, at armhole edge cast off 11 sts. every alternate row 3 times.
(18 and 20—Cast off 11 sts. every alternate row twice, 12 sts. once) *(42—Cast off 11 sts. every alternate row once, 12 sts. twice)*.

Leaving next 26 sts. on stitch holder for front of neck, with right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

NECKBAND: Using back stitch seam, sew left shoulder seam. With right side of work facing, No. 12 needles and using the ball attached to Back, knit across sts. at back of neck. Pick up and knit 20 sts. *(18—22 sts.)* *(20—21 sts.)* *(42—23 sts.)* along left side of neck. Knit across sts. from stitch holder at front of neck. Pick up and knit 20 sts. *(18—22 sts.)* *(20—21 sts.)* *(42—23 sts.)* along right side of neck. 104 sts. on needle. *(18 and 20—108 sts.)* *(42—112 sts.)*.
Work 1½ ins. (K2. P2) ribbing. Cast off **loosely** in ribbing.

SHORT SLEEVES: With No. 12 needles cast on 84 sts. *(18—84 sts.)* *(20 and 42—92 sts.)*.
Work 1½ ins. (K2. P2) ribbing.

Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 3rd and every following 4th row to 100 sts. on needle. *(18—100 sts.)* *(20 and 42—108 sts.)*.
Continue even until sleeve measures 5 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 22 sts. on needle. *(18—22 sts.)* *(20 and 42—24 sts.)*. Cast off remaining sts.

LONG SLEEVES: With No. 12 needles cast on 60 sts. *(18—60 sts.)* *(20 and 42—64 sts.)*.
Work 3 ins. (K2. P2) ribbing, increasing across last row to 62 sts. on needle. *(18—62 sts.)* *(20 and 42—68 sts.)*.

Change to No. 10 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 100 sts. on needle. *(18—100 sts.)* *(20 and 42—108 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.
Shape cap as given for Short Sleeves.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam for ribbing and back stitch seam for Stocking st. sew side seams, easing in extra length allowed for front, 2 ins. below armholes. Sew shoulder and sleeve seams. Sew in sleeves.

STITCHCRAFT

A Monthly Magazine for Knitters

Published in England. Every issue packed with illustrations and complete instructions for knitting, embroidery, needlework and all kinds of handwork. To avoid disappointment, place a definite order with your newsstand or supplier. If you prefer to have your copies sent by mail, send $3.50 to Gordon & Gotch Ltd., 244 Bay St., Toronto 1, Ontario, to cover a full year's subscription—a new magazine every month.

The High Rise Pullover

See below

MATERIALS:
This svelte pullover has been designed for you to knit with Beehive Fingering 3 ply Patonised or Patwin 3 ply Patonised. For exactly the same results be sure to use one or other of these yarns. You will need:—9 (1 oz.) balls. **(***14—9 balls***) (***16 and 18—10 balls***)**. Allow 1 ball less for Short Sleeves. Two No. 12, two No. 11 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. One 5-inch "Zipper" Fastener. One spare needle with points at both ends for Smocking Stitch in Yoke.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	33 "	35 "	37 "	39 "
Length from top of shoulder	20 "	20 "	20½ "	20½ "
Length of long sleeve underarm seam	17 "	17 "	17 "	17 "
Length of short sleeve underarm seam	5 "	5 "	5 "	5 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

*The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—***( ).**

BACK: With No. 11 needles cast on 118 sts. **(***14—126 sts.***) (***16—134 sts.***) (***18—142 sts.***)**.

**Work 8 rows Stocking st. ending with purl row. Knit 3 rows to turn hem.
Change to No. 10 needles and beginning with purl row, work 9 rows Stocking st. ending with purl row. Make hem as follows, or if a sewn hem is preferred, knit across following row as usual.

To make hem: Fold cast-on edge, away from you, up to meet sts. on needle, thus having wrong sides of work facing each other. Insert right hand needle through 1st. st. as usual and then through 1st. loop on cast-on row. Wool over needle and draw a st. through cast-on loop and st. on needle, thus knitting st. on left hand needle together with loop on cast-on row. Slip st. off left hand needle as usual. Continue in this manner across entire row, taking care not to miss any cast-on loops.**

Beginning with purl row, work 9 rows Stocking st. ending with purl row.

1st decreasing row: K7. **(***14—K11***) (***16—K15***) (***18—K19***)**. (K2tog. K20)twice. K2tog. K12. (K2tog. K20)twice. K2tog. K7. **(***14—K11***) (***16—K15***) (***18—K19***)**. Work 11 rows Stocking st.
2nd decreasing row: K6. **(***14—K10***) (***16—K14***) (***18—K18***)**. (K2tog. K19)twice. K2tog. K12. (K2tog. K19)twice. K2tog. Knit to end of row. Work 11 rows Stocking st.
3rd decreasing row: K5. **(***14—K9***) (***16—K13***) (***18—K17***)**. (K2tog. K18)twice. K2tog. K12. (K2tog. K18)twice. K2tog. Knit to end of row. 100 sts. on needle. **(***14—108 sts.***) (***16—116 sts.***) (***18—124 sts.***)**.
Work 11 rows Stocking st. ending with purl row.

Continue in Stocking st. inc. 1.st. each end of needle on next and every following 5th row to 126 sts. on needle. **(***14—134 sts.***) (***16—142 sts.***) (***18—150 sts.***)**.
Continue even until work measures 13 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 4 sts. **(***14—4 sts.***) (***16 and 18—5 sts.***)** beginning next 4 rows, then dec. 1.st. each end of needle on next and every alternate row to 96 sts. on needle. **(***14—100 sts.***) (***16—104 sts.***) (***18—106 sts.***)**.
Continue even until armhole from first shaping measures 5 ins. **(***14—5 ins.***) (***16 and 18—5½ ins.***)** ending with **knit** row.

To shape neck: K1. P35. **(***14—K1. P35***) (***16 and 18—K1. P37***)**. Cast off next 24 sts. **(***14 and 16—28 sts.***) (***18—30 sts.***)** purlways for neck. Purl to last st. K1.
Working on last 36 sts. **(***14—36 sts.***) (***16 and 18—38 sts.***)** at neck edge cast off 5 sts. every alternate row 4 times.
Dec. 1.st. at neck edge **every** row to 11 sts. on needle, then every alternate row to 9 sts. on needle.
Continue even until armhole from first shaping measures 7 ins. **(***14—7 ins.***) (***16 and 18—7½ ins.***)**. Cast off.

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

FRONT: With No. 11 needles cast on 118 sts. **(***14—126 sts.***) (***16—134 sts.***) (***18—142 sts.***)** and work exactly as given for Back to 96 sts. on needle. **(***14—100 sts.***) (***16—104 sts.***) (***18—106 sts.***)**.
Continue even until armhole from first shaping measures 3 ins. **(***14—3 ins.***) (***16 and 18—3½ ins.***)** ending with **knit** row.

(Continued on page 15)

The Bird of Paradise Pullover

See page 16

To shape neck: K1. P40. *(14—K1. P40)* *(16 and 18—K1. P42)*. Cast off next 14 sts. *(14 and 16—18 sts.)* *(18—20 sts.)* purlways for neck. Purl to last st. K1.
Working on last 41 sts. *(14—41 sts.)* *(16 and 18—43 sts.)* at neck edge cast off 4 sts. every alternate row 3 times.
Dec. 1.st. at neck edge **every** row to 16 sts. on needle, then every alternate row to 9 sts. on needle.
Continue even until armhole measures same as Back to shoulders. Cast off.

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

LONG SLEEVES: With No. 11 needles cast on 50 sts. *(14—50 sts.)* *(16 and 18—56 sts.)* and work from ** to ** as given for Back.
Beginning with purl row, work 9 rows Stocking st. ending with purl row.
Continue in Stocking st. inc. 1.st. each end of needle on next and every following 6th row to 92 sts. on needle. *(14—92 sts.)* *(16 and 18—100 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 20 sts. on needle. *(14—20 sts.)* *(16 and 18—22 sts.)*. Cast off remaining sts.

SHORT SLEEVES: With No. 11 needles cast on 76 sts. *(14—76 sts.)* *(16 and 18—84 sts.)* and work from ** to ** as given for Back.
Purl 1 row.
Continue in Stocking st. inc. 1.st. each end of needle on next and every following 4th row to 92 sts. on needle. *(14—92 sts.)* *(16 and 18—100 sts.)*.
Continue even until sleeve measures 5 ins. from beginning, ending with purl row.
Shape cap as given for Long Sleeves.

YOKE: With No. 11 needles cast on 191 sts. *(14—191 sts.)* *(16 and 18—207 sts.)*.
1st row: Knit.
2nd row: K1. Purl to last st. K1.
3rd row: K1. *Make Popcorn by knitting into front, back, front, and back of next st. thus making 4 sts. out of 1.st. Knit next st. **Turn.** P4. **Turn.** K4. **Turn.** P4. Slip 2nd, 3rd and 4th sts. over 1st. st. **Turn.** Knit the Popcorn st. and tighten st. on needle being sure Popcorn is neat and has smooth side out. K3. Repeat from * to end of row. *(14 as 12)* *(16 and 18—Repeat from * to last st. K1)*.
4th row: K1. Purl to last st. K1.
5th and 6th rows: As 1st. and 2nd rows.
7th row: K3. *Make Popcorn. K3. Repeat from * to last 3 sts. Make Popcorn. K1. *(14 as 12)* *(16 and 18—Repeat from * to last 4 sts. Make Popcorn. K2)*.
8th row: K1. Purl to last st. K1.
9th row: K2. *P1. K1. Repeat from * to last st. K1.
10th row: K1. *P1. K1. Repeat from * to end of row.
11th and 12th rows: As 9th and 10th rows.
13th row: K2. P1. K1. P1. *Rib next 5 sts. onto spare needle. Bringing wool to front of work, wind it twice around the 5 sts. on spare needle. Slip these 5 sts. from spare needle onto right hand needle. (The working of 5 sts. in this manner will be termed "Bind 5" throughout). P1. K1. P1. Repeat from * to last 2 sts. K2.
14th row: As 10th row.
Repeat 9th and 10th rows twice.
19th row: K1. *Bind 5. P1. K1. P1. Repeat from * to last 6 sts. Bind 5. K1.
20th row: As 10th row.
Repeat 9th to 14th rows inclusive, then 9th and 10th rows once.
29th row: K2. *P3tog. (K1. P1)twice. K1. Repeat from * to last 5 sts. P3tog. K2. 143 sts. on needle. *(14—143 sts.)* *(16 and 18—155 sts.)*.
30th row: As 10th row.
31st row: K1. *Rib next 3 sts. onto spare needle and bind these 3 sts. as given for the 5 sts. on 13th row. P1. K1. P1. Repeat from * to last 4 sts. Bind 3. K1.
32nd row: As 10th row.
Repeat 9th and 10th rows once.
35th row: K2. (P3tog. K1)3 times. *P3tog. K1. P1. K1. Repeat from * to last 21 sts. (P3tog. K1)5 times. K1. 91 sts. on needle. *(14 as 12)*
*(16 and 18—K2. P1. K1. (P3tog. K1)3 times. *P3tog. K1. P1 K1. Repeat from * to last 19 sts. (P3tog. K1)4 times. P1. K2. 101 sts. on needle)*.
36th row: As 10th row.
Repeat 1st. to 8th rows inclusive as given for size 12.

Change to No. 12 needles and knit 3 rows to turn hem.
Beginning with purl row work 9 rows Stocking st. ending with purl row.
Cast off **loosely** being sure the cast-off edge will fit comfortably around neck.

TO MAKE UP: Block and Press each piece as given on page 29. Using back stitch seam, sew side, shoulder and sleeve seams. Sew in sleeves. Turn under the neck hem of yoke and sew evenly along the last ribbed row. Placing opening at centre back, sew yoke evenly in position. Sew in "Zipper" fastener.

The Bird of Paradise Pullover

Shown on page 15

MATERIALS, MEASUREMENTS and TENSION same as for High Rise Pullover on page 14, omitting "Zipper" Fastener and adding small quantities of desired colours for Bird.

BACK: Work exactly as given for Back of High Rise Pullover.

FRONT FOR KNIT-IN BIRD: Work exactly as given for Front of High Rise Pullover until 3rd increasing at side edge is reached. With 104 sts. on needle *(14—112 sts.)* *(16—120 sts.)* *(18—128 sts.)* proceed:—
Next row: Inc. 1.st. in 1st. st. *(all sizes)*. K16. *(14—K20)* *(16—K24)* *(18—K28)*. Place a marker such as a small safety pin on next st. to indicate 1st. st. of Chart. Working from right to left from Chart, knit next 42 sts. Join Design Colour and knit next 5 sts. Join another ball Main Colour and knit remaining 9 sts. from Chart. Place a marker on last st. knitted to indicate 56th st. of Chart. Knit to last 2 sts. Inc. 1.st. in next st. K1.
Next row: K1. Purl to 1st. marker. Working in Coloured Pattern Knitting, see below, and working from left to right, purl the 56 sts. from Chart. Purl to last st. K1.
Working the 56 sts. marked by the 2 safety pins from Chart, continue as given for Front of High Rise Pullover.

FRONT FOR EMBROIDERED BIRD: Work exactly as given for Front of High Rise Pullover. Block and Press as given on page 29.
With right side of work facing, on 3rd increase row, starting from side edge, mark 19th st. *(14—23rd st.)* *(16—27th st.)* *(18—31st st.)* from right hand edge of work. This is 1st. st. at lower right hand corner of Chart. Count over 56 sts. and mark 56th st. In line with these 2 marked sts. count up 86 rows and mark 1st. and 56th sts. Sew a thread around this rectangle to indicate boundaries of Chart. Work Bird in Duplicate Stitch as given below.

SLEEVES: Work exactly as given for Sleeves (your choice of length) of High Rise Pullover.

NECKBAND: Using back stitch seam, sew left shoulder seam. With right side of work facing and No. 11 needles, pick up and knit 88 sts. *(14—92 sts.)* *(16—96 sts.)* *(18—98 sts.)* evenly along back of neck and 110 sts. *(14—114 sts.)* *(16—118 sts.)* *(18—120 sts.)* along front of neck. 196 sts. on needle. *(14—206 sts.)* *(16—214 sts.)* *(18—218 sts.)*.
Beginning with purl row, work 7 rows Stocking st. ending with purl row.
Change to No. 12 needles and knit 3 rows to turn hem. Work 7 rows Stocking st. ending with purl row. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Using back stitch seam, sew side, shoulder and sleeve seams. Sew in sleeves. Turn under neckband at hemline and sew in position along the picked-up row.

When you see **Patonised** on a ball of wool, this means the wool has been made **Shrink-Resistant** by an exclusive Patons and Baldwins' process.

TO EMBROIDER ON WOOL IN DUPLICATE STITCH



Thread a tapestry needle with wool of desired colour. *Draw needle to front of work through centre of stitch below the one required. Pass needle under the 2 strands of the stitch above, as illustrated. Draw wool through, then put needle into same hole of stitch as used when beginning and draw wool through to wrong side of work, thus duplicating a stitch. Repeat from * following design on Chart. Darn in ends as each length of embroidery wool is used up.



COLOUR SUGGESTIONS

□ = Navy or Grey
• = Turquoise or Yellow
× = Royal or Green
\ = Rose or Scarlet
◢ = Beige or Black

COLOURED PATTERN KNITTING

Use a separate ball or strand of wool for each section of colour and when passing from one colour to next, pass colour to be used underneath and around to right of colour just used, in order to prevent a hole. If there are small areas of 2 or 3 sts. for a short length of 2 or 3 rows, carry colour not in use loosely across back of work to position of its next use.

The Angora Pullover

Shown on page 19 (right)

MATERIALS:
New beauty enhances the plain pullover when you knit it with this combination of Fuzzy-Wuzzy and Beehive Fingering 4 ply Patonised. You will require:—9 (½ oz.) balls Fuzzy-Wuzzy (B). *(14—10 balls)* *(16 and 18—11 balls)* and 2 (1 oz.) balls Beehive Fingering 4 ply Patonised (A) for all sizes. Allow 2 balls less of Fuzzy-Wuzzy for Short Sleeves. Two No. 11 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Fuzzy-Wuzzy. **Note:**—Fuzzy-Wuzzy may be used for the entire Pullover and you will need 11 balls *(14—11 balls)* *(16 and 18—12 balls)* with 2 balls less for Short Sleeves.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	33 "	35 "	37 "	39 "
Length from top of shoulder	19½ "	19½ "	20 "	20 "
Length of long sleeve underarm seam	17 "	17 "	17 "	17 "
Length of short sleeve underarm seam	5 "	5 "	5 "	5 "

Tension: 6½ sts. and 8 rows = 1 inch with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

Note: For a Pullover in Fuzzy-Wuzzy throughout, ignore all references to (A) and (B).

BACK: With (A) and No. 11 needles cast on 86 sts. *(14—92 sts.)* *(16—98 sts.)* *(18—104 sts.)*.
Work 3 ins. (K1. P1) ribbing.
Break (A). Join (B).

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 8th row to 102 sts. on needle. *(14—108 sts.)* *(16—114 sts.)* *(18—120 sts.)*.
Continue even until work measures 12½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 5 sts. *(14—6 sts.)* *(16—7 sts.)* *(18—8 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 80 sts. on needle. *(14—82 sts.)* *(16—84 sts.)* *(18—86 sts.)*.
Continue even until armhole from first shaping measures 7 ins. *(14—7 ins.)* *(16 and 18—7½ ins.)* ending with purl row.

To shape shoulders: Cast off 8 sts. beginning next 4 rows, 9 sts. beginning following 2 rows.
(14 and 16—Cast off 8 sts. beginning next 2 rows, 9 sts. beginning following 4 rows)
(18—Cast off 9 sts. beginning next 6 rows).
Break yarn and leave remaining 30 sts. *(14—30 sts.)* *(16 and 18—32 sts.)* on spare needle.

FRONT: With (A) and No. 11 needles cast on 86 sts. *(14—92 sts.)* *(16—98 sts.)* *(18—104 sts.)* and work exactly as given for Back to 80 sts. on needle. *(14—82 sts.)* *(16—84 sts.)* *(18—86 sts.)*.
Continue even until armhole from first shaping measures 5 ins. *(14—5 ins.)* *(16 and 18—5½ ins.)* ending with purl row.

To shape neck: K30. *(14—K31)* *(16—K32)* *(18—K33)*. Leave remaining sts. on spare needle. **Turn.**
Working on these 30 sts. *(14—31 sts.)* *(16—32 sts.)* *(18—33 sts.)* continue in Stocking st. dec. 1.st. at neck edge every row to 25 sts. on needle. *(14 and 16—26 sts.)* *(18—27 sts.)*.
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 8 sts. every alternate row twice, 9 sts. once.
(14 and 16—Cast off 8 sts. every alternate row once, 9 sts. twice)
(18—Cast off 9 sts. every alternate row 3 times).

Leaving next 20 sts. on spare needle for front of neck, with right side of work facing, join yarn at neck edge to remaining sts. and work other side to correspond.

NECKBAND: Sew left shoulder seam. With right side of work facing, join (A) and with No. 11 needles knit across sts. at back of neck. Pick up and knit 23 sts. *(14—23 sts.)* *(16 and 18—24 sts.)* along left side of neck. Knit across sts. from spare needle at front of neck. Pick up and knit 23 sts. *(14—23 sts.)* *(16 and 18—24 sts.)* along right side of neck. 96 sts. on needle. *(14—96 sts.)* *(16 and 18—100 sts.)*.
Work 1 inch (K1. P1) ribbing. Cast off **loosely** in ribbing.

LONG SLEEVES: With (A) and No. 11 needles cast on 48 sts. *(14—48 sts.)* *(16 and 18—52 sts.)*.
Work 3 ins. (K1. P1) ribbing.
Break (A). Join (B).

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 76 sts. on needle. *(14—76 sts.)* *(16 and 18—82 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 18 sts. on needle. Cast off remaining sts.

SHORT SLEEVES: With (A) and No. 11 needles cast on 64 sts. *(14—64 sts.)* *(16 and 18—70 sts.)*.
Work 1 inch (K1. P1) ribbing.
Break (A). Join (B).

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 3rd and every following 4th row to 76 sts. on needle. *(14—76 sts.)* *(16 and 18—82 sts.)*.
Continue even until sleeve measures 5 ins. from beginning, or desired length, ending with purl row.
Shape cap as given for Long Sleeves.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam, sew side, shoulder and sleeve seams. Sew in sleeves.

For those who prefer the added strength of nylon with their good quality wool, be sure to ask for **Patwin 3 ply Patonised.**

JOINING WOOL

When you have to join a new ball of wool, or replace a knot, the simplest way is to join at the beginning of a row, even if you have to pull back a partly knitted row. It is preferable, if possible, to join at a seam edge so that the ends can be neatly darned into a seam when the garment is sewn up.

If you are working in rounds, or in straight work, and there is a knot in the wool you are using, cut out the knot. Unwind the plies of each of the two ends of wool, for about 2 ins. and splice as follows:—

In 2 ply, break off one of the threads from each length of wool; in 3 ply two from one end and one from the other; in 4 ply two from each end. Place the remaining ends together, thus forming the 2, 3 or 4 ply thickness again; twist them together with the fingers and knit in the usual way with the twisted wool thus formed.

Owing to the numerous processes through which wool has to pass, it is impossible to avoid occasional knots, so—**Remember** for a neat finish and comfort to the wearer, **never** knit a knot into your garment!—Either pull back to the seam, or splice.

The Angora Cardigan

Shown on page 19 (left)

MATERIALS:
The plain cardigan takes on the look of pure luxury when you use this new combination of Fuzzy-Wuzzy and Beehive Fingering 4 ply Patonised for the knitting. You will require:—10 (½ oz.) balls Fuzzy-Wuzzy (B) *(14—10 balls)* *(16 and 18—11 balls)* and 3 (1 oz.) balls Beehive Fingering 4 ply Patonised (A) for all sizes. Two No. 11 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Fuzzy-Wuzzy. 9 Buttons. **Note:**—Fuzzy-Wuzzy may be used for the entire Cardigan and you will need 12 balls. *(14—12 balls)* *(16 and 18—13 balls)*.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length from top of shoulder	20½ "	20½ "	21 "	21 "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 6½ sts. and 8 rows = 1 inch with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

Note: For a Cardigan in Fuzzy-Wuzzy throughout, ignore all references to (A) and (B).

BACK: With (A) and No. 11 needles cast on 104 sts. *(14—110 sts.)* *(16—116 sts.)* *(18—122 sts.)*.
Work 3½ ins. (K1. P1) ribbing.
Break (A). Join (B).

Change to No. 8 needles and continue even in Stocking st. until work measures 13 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 5 sts. *(14—6 sts.)* *(16—7 sts.)* *(18—8 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 82 sts. on needle. *(14—84 sts.)* *(16—86 sts.)* *(18—88 sts.)*.
Continue even until armhole from first shaping measures 7½ ins. *(14—7½ ins.)* *(16 and 18—8 ins.)* ending with purl row.

To shape shoulders: Cast off 9 sts. beginning next 4 rows, 8 sts. beginning following 2 rows.
(14 and 16—Cast off 9 sts. beginning next 6 rows)
(18—Cast off 9 sts. beginning next 4 rows, 10 sts. beginning following 2 rows).
Break yarn and leave remaining 30 sts. *(14—30 sts.)* *(16 and 18—32 sts.)* on spare needle.

LEFT FRONT: With (A) and No. 11 needles cast on 57 sts. *(14—61 sts.)* *(16—63 sts.)* *(18—67 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last 11 sts. P1. K10. (The last 10 sts. form Garter st. border at front edge).
2nd row: K11. *P1. K1. Repeat from * to end of row. (side edge).
Repeat these 2 rows for 3½ ins. ending with 2nd row.
Break (A). Join (B).

Change to No. 8 needles.
Next row: Knit to last 10 sts. Leave these 10 sts. on a safety pin to be worked later for front border.
Working on remaining 47 sts. *(14—51 sts.)* *(16—53 sts.)* *(18—57 sts.)* and beginning with purl row, continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Cast off 5 sts. *(14—6 sts.)* *(16—7 sts.)* *(18—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 36 sts. on needle. *(14—37 sts.)* *(16—38 sts.)* *(18—39 sts.)*.
Continue even until armhole from first shaping measures 5 ins. *(14—5 ins.)* *(16 and 18—5½ ins.)* ending at armhole edge.

To shape neck: Work to last 6 sts. Leave these 6 sts. on safety pin for neck. **Turn.**
Working on remaining 30 sts. *(14—31 sts.)* *(16—32 sts.)* *(18—33 sts.)* continue in Stocking st. dec. 1.st. at neck edge **every** row to 26 sts. on needle. *(14 and 16—27 sts.)* *(18—28 sts.)*.
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 9 sts. every alternate row twice, 8 sts. once.
(14 and 16—Cast off 9 sts. every alternate row 3 times)
(18—Cast off 9 sts. every alternate row twice, 10 sts. once).

To make button border: Slip the 10 sts. left for border onto a No. 11 needle. Join (A) at inside edge and work even in Garter st. (plain knitting every row) for length sufficient to go along front edge to neck, ending at inside edge. For a neat fit this length will be 160 rows or 80 ridges. Break wool and leave these 10 sts. on safety pin with the 6 sts. of neck.

RIGHT FRONT: With (A) and No. 11 needles cast on 57 sts. *(14—61 sts.)* *(16—63 sts.)* *(18—67 sts.)*.
1st row: K10. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: *K1. P1. Repeat from * to last 11 sts. K11. (The last 10 sts. form Garter st. border at front edge).
Repeat these 2 rows twice more.
7th row: (1st. buttonhole). K4. Cast off 2 sts. K4. Rib to end of row.
8th row: Rib to last 8 sts. K4. Cast on 2 sts. K4.
Working 2nd buttonhole on following 23rd and 24th rows (that is, making buttonholes 22 rows apart) repeat 1st. and 2nd rows for 3½ ins. ending with 2nd row.
Next row: Do not break wool but leave 1st. 10 sts. on safety pin to be worked later for front border. Change to No. 8 needles. Join (B). Knit to end of row.
Working on remaining 47 sts. *(14—51 sts.)* *(16—53 sts.)* *(18—57 sts.)* and beginning with purl row, continue to correspond to Left Front being careful to have all shapings for opposite side.

To make buttonhole border: Slip the 10 sts. left for border onto a No. 11 needle. With (A) wool attached, knit even in Garter st. working buttonholes 22 rows apart until 18 rows have been worked above 8th buttonhole, ending at outside edge. 160 rows in all. **Do not break wool.** Proceed:—

NECKBAND: Using flat seam, sew shoulder seams. Knit across border. With right side of work facing, knit the 6 sts. of Right Front safety pin onto No. 11 needle with 10 sts. of border. Pick up and knit 24 sts. *(14—24 sts.)* *(16 and 18—25 sts.)* along right side of neck. Knit across sts. from spare needle at back of neck. Pick up and knit 23 sts. *(14—23 sts.)* *(16 and 18—24 sts.)* along left side of neck. Knit the 16 sts. of Left Front safety pin. 109 sts. on needle. *(14—109 sts.)* *(16 and 18—113 sts.)*.
1st row: K11. *P1. K1. Repeat from * to last 10 sts. K10.
2nd row: K10. *P1. K1. Repeat from * to last 11 sts. P1. K10.
3rd row: As 1st. row.
Working 9th buttonhole on next 2 rows, repeat 1st. and 2nd rows for 10 rows in all. Cast off **loosely** in ribbing.

SLEEVES: With (A) and No. 11 needles cast on 50 sts. *(14—50 sts.)* *(16 and 18—54 sts.)*.
Work 3½ ins. (K1. P1) ribbing.
Next row: Rib, increasing across row to 55 sts. on needle. *(14—55 sts.)* *(16 and 18—59 sts.)*.
Break (A). Join (B).

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 5th and every following 6th row to 81 sts. on needle. *(14—81 sts.)* *(16 and 18—87 sts.)*.

(Continued on page 20)

The Pullover *is also given with Short Sleeves.*

See page 17

The Cardigan

See page 18

NORDIC CARDIGAN *(Continued from page 3)*

Beginning with purl row, continue even in Stocking st. until same length as Back to armholes, ending with **purl** row.

To shape armhole: Cast off 3 sts. *(14 and 16—4 sts.)* beginning next row for armhole.

Sizes 12 and 14: Dec. 1.st. at armhole edge every alternate row twice and end with purl row. 38 sts. on needle. *(14—40 sts.)*.

Size 16: Dec. 1.st. at armhole edge on next 4 rows and end with purl row. 41 sts. on needle.

Break wool and leave these sts. on a thread.

RIGHT FRONT: With (D) and No. 10 needles cast on 43 sts. *(14—45 sts.)* *(16—49 sts.)* and work 3 ins. (K1. P1) ribbing as given for Back, ending with 2nd row. Inc. 1.st. at beginning of last row for size 14.

Change to No. 8 needles and proceed:—
1st row: K3(D). *(14—K1(B). 5(D).)* *(16—K3(D).)*. *K1(B). 5(D). Repeat from * to last 4 sts. K1(B). 3(D).
2nd row: P2(D). *P3(B). 3(D). Repeat from * to last 5 sts. P3(B). 2(D). *(14—Repeat from * to last 2 sts. P2(B).)* *(16 as 12)*.
3rd row: K1(D). *(14—K3(B). 1(D).)* *(16—K1(D).)* *K5(B). 1(D). Repeat from * to end of row.

Continue to correspond to Left Front, being careful to have armhole shaping for opposite side. **Do not break wool** but working on these 38 sts. *(14—40 sts.)* *(16—41 sts.)* proceed:—

YOKE: With right side of work facing and No. 8 circular needle, knit across sts. of Right Front, Right Sleeve, Back, Left Sleeve and Left Front. 251 sts. on needle. *(14—261 sts.)* *(18—271 sts.)*. Working backwards and forwards on circular needle, purl 1 row. Join Design Colour (A) and being careful to read **knit** rows from **right** to left and **purl** rows from **left** to right, work from Chart to end of Chart, changing to No. 10 needles for last 3 rows. 101 sts. on needle. *(14—105 sts.)* *(16—109 sts.)*. Break all wools except (D). Knit 1 row.

Next row: P2tog. *P1. P2tog. Repeat from * to end of row. 67 sts. on needle.
*(14—(P2tog.) twice. *P1. P2tog. Repeat from * to last 2 sts. P2tog. 69 sts. on needle)*
*(16—(P2tog.)3 times. *P1. P2tog. Repeat from * to last 4 sts. (P2tog.) twice. 71 sts. on needle)*.

Work 1¼ ins. (K1. P1) ribbing as given for Back. Cast off **loosely** in ribbing.

BUTTON BAND: With (D) and No. 10 needles cast on 9 sts.
1st row: K1. *P1. K1. Repeat from * to end of row.
Repeat this row for Moss st. for 20 ins. This allows for band to be stretched slightly when sewn to front edge. Cast off.

BUTTONHOLE BAND: With (D) and No. 10 needles cast on 9 sts.
Work 1 inch Moss st.
Next row: (1st. buttonhole). K1. P1. K1. Cast off 3 sts. K1. P1. K1.
Next row: K1. P1. K1. Cast on 3 sts. K1. P1. K1.
Working 8 more buttonholes approx. 2¼ ins. apart, continue even in Moss st. for same length as Button Band. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Darn in all ends. Using flat seam, sew side and sleeve seams. Sew in sleeves at underarms. Sew front bands in position. Sew buttons to correspond to buttonholes.

ANGORA CARDIGAN *(Continued from page 18)*

Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 17 sts. on needle. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam, sew side and sleeve seams. Sew in sleeves. Sew front borders in position. Sew buttons to correspond to buttonholes.

CABLE CARDIGAN *(Continued from page 21)*

Front safety pin. 123 sts. on needle. *(14—125 sts.)* *(16—127 sts.)* *(18—129 sts.)*.
1st row: K1. *P1. K1. Repeat from * to end of row.
2nd row: K2. *P1. K1. Repeat from * to last st. K1.
Working 8th buttonhole approx. 2½ ins. above 7th, repeat these 2 rows for 1¼ ins. Cast off **loosely** in ribbing.

SLEEVES: With No. 12 needles cast on 59 sts. *(14—59 sts.)* *(16 and 18—67 sts.)*.
Work 3 ins. (K1. P1) ribbing as given for Back, ending with 1st. row.
Next row: K1. P1. *Inc. 1.st. in next st. Rib 2. Repeat from * to end of row. 78 sts. on needle. *(14 as 12)* *(16 and 18—K1. *Inc. 1.st. in next st. Rib 2. Repeat from * to end of row. 89 sts. on needle)*.

Change to No. 10 needles.
Work one complete pattern as given for Back.
Keeping continuity of pattern and working increased sts. in pattern inc. 1.st. each end of needle on next and every following 6th row to 106 sts. on needle *(14—106 sts.)* *(16 and 18—117 sts.)* then every 4th row to 122 sts. on needle. *(14—122 sts.)* *(16 and 18—133 sts.)*. Continue even in pattern until sleeve measures approx. 17 ins. from beginning, or desired length, ending with 8th pattern row.

To shape cap: Keeping continuity of pattern, cast off 3 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Work 1 row even.
Repeat last 4 rows to 44 sts. on needle. *(14—44 sts.)* *(16 and 18—49 sts.)*. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam, sew side and sleeve seams. Sew in sleeves. Along each front edge crochet 1 row s.c. allowing 1.s.c. for every 2 rows, then 1 row s.s. If you prefer, the front borders may be faced with grosgrain ribbon. Sew buttons to correspond to buttonholes. It is advisable to sew a continuous length of grosgrain ribbon, ⅛ inch wide, cut to desired size, across each shoulder and back of neck. This will prevent the overstretching of shoulders and neck during wearing and washing. Extra care should be taken when laying this garment out to dry, after washing, not to flatten the pattern.

CHART FOR NORDIC CARDIGAN



COLOUR SUGGESTIONS

□ = Main Colour (B) White or Sky
● = Colour (D) Red or Navy
× = Colour (A) Black or Red
\ = Colour (C) Green or Royal
⊠ = K2tog. or P2tog. as required

The Cable Cardigan

Shown on page 22

MATERIALS:
A truly luxury style sweater is yours when you knit this design with Beehive Fingering 3 ply Patonised or Patwin 3 ply Patonised. In order to produce the same accurate results, be sure to use one or other of these yarns. You will require:—11 (1 oz.) balls. (*14—11 balls*) (*16 and 18—12 balls*). Two No. 12 and two No. 10 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with your choice of the specified yarns. One spare needle with points at both ends. 8 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length from top of shoulder	19½ "	19½ "	20 "	20 "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

BACK: With No. 12 needles cast on 139 sts. (*14—149 sts.*) (*16—159 sts.*) (*18—169 sts.*).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3 ins. ending with 1st. row.
Next row: Rib 2. (*14—Rib 6*) (*16—Rib 9*) (*18—Rib 11*). *Inc. 1.st. in next st. Rib 4. Repeat from * to last 2 sts. (*14—3 sts.*) (*16—5 sts.*) (*18—8 sts.*). Rib to end of row. 166 sts. on needle. (*14—177 sts.*) (*16—188 sts.*) (*18—199 sts.*).

Change to No. 10 needles and proceed:—
1st row: K1. P2. *K6. P2. K1. P2. Repeat from * to last 9 sts. K6. P2. K1.
2nd row: K3. *P6. K5. Repeat from * to last 9 sts. P6. K3.
Repeat 1st. and 2nd rows twice more.
7th row: K1. P2. *Slip next 3 sts. onto spare needle, letting this needle fall to back of work. Knit next 3 sts. Bring the 3 sts. forward and knit them. (The working of 6 sts. in this manner will be termed "Twist" throughout). P2. K1. P2. Repeat from * to last 9 sts. Twist. P2. K1.
8th row: As 2nd row. These 8 rows complete one pattern for Back.
Continue even in pattern until work measures approx. 12 ins. from beginning, or desired length, ending with 8th pattern row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Keeping continuity of pattern, cast off 9 sts. firmly, beginning next 2 rows.
3rd row: K1. P1. P2tog. Work in pattern to last 4 sts. P2tog. P1. K1.
4th row: K3. Work in pattern to last 3 sts. K3.
Repeat 3rd and 4th rows to 122 sts. on needle. (*14—133 sts.*) (*16—144 sts.*) (*18—155 sts.*).
Continue even until armhole from first shaping measures 7½ ins. (*14—7½ ins.*) (*16 and 18—8 ins.*).

To shape shoulders: Keeping continuity of pattern, cast off 10 sts. firmly (*14—11 sts.*) (*16—12 sts.*) (*18—13 sts.*) beginning next 8 rows. Cast off remaining 42 sts. (*14—45 sts.*) (*16—48 sts.*) (*18—51 sts.*).

LEFT FRONT: With No. 12 needles cast on 75 sts. (*14—79 sts.*) (*16—85 sts.*) (*18—89 sts.*).
Work 3 ins. (K1. P1) ribbing as given for Back, ending with 1st. row.
Next row: Rib 14 for front border. *Inc. 1.st. in next st. Rib 3. Repeat from * to last 5 sts. (*14—5 sts.*) (*16 and 18—11 sts.*). Rib to end of row. (side edge). 89 sts. on needle. (*14—94 sts.*) (*16—100 sts.*) (*18—105 sts.*).

Change to No. 10 needles and proceed:—
1st row: K1. P2. *K6. P2. K1. P2. Repeat from * to last 20 sts. K6. Rib 14. (*14—Repeat from * to last 14 sts. Rib 14*) (*16 as 12*) (*18 as 14*).
2nd row: Rib 14. P6. (*14—Rib 14*) (*16 as 12*) (*18 as 14*). *K5. P6. Repeat from * to last 3 sts. K3.
Repeat 1st. and 2nd rows twice more.
7th row: K1. P2. *Twist. P2. K1. P2. Repeat from * to last 20 sts. Twist. Rib 14. (*14—Repeat from * to last 14 sts. Rib 14*) (*16 as 12*) (*18 as 14*).
8th row: As 2nd row. These 8 rows complete one pattern for Left Front.
Repeat these 8 rows until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 9 sts. firmly, beginning next row for armhole.
2nd row: Rib 14. Work in pattern to last 3 sts. K3.
3rd row: K1. P1. P2tog. Work in pattern to last 14 sts. Rib 14.
Repeat 2nd and 3rd rows to 67 sts. on needle. (*14—72 sts.*) (*16—78 sts.*) (*18—83 sts.*).
Continue even until armhole from first shaping measures 5 ins. (*14—5 ins.*) (*16 and 18—5½ ins.*) ending at armhole edge.

To shape neck: Work to last 20 sts. Leave these 20 sts. on safety pin for neck. **Turn.**
Working on remaining 47 sts. (*14—52 sts.*) (*16—58 sts.*) (*18—63 sts.*) continue in pattern, dec. 1.st. at neck edge every row to 40 sts. on needle. (*14—44 sts.*) (*16—48 sts.*) (*18—52 sts.*).
Continue even until armhole measures same as Back to shoulders, ending at armhole edge.

To shape shoulder: Keeping continuity of pattern, at armhole edge, cast off 10 sts. (*14—11 sts.*) (*16—12 sts.*) (*18—13 sts.*) every alternate row 4 times.

RIGHT FRONT: With No. 12 needles cast on 75 sts. (*14—79 sts.*) (*16—85 sts.*) (*18—89 sts.*).
Work 10 rows (K1. P1) ribbing as given for Back.
11th row: (1st. buttonhole). K2. (P1. K1)twice. Cast off 3 sts. Rib to end of row.
12th row: Rib to last 6 sts. Cast on 3 sts. (P1. K1)3 times.

Working 2nd buttonhole 1½ ins. above 1st. continue in ribbing until work measures 3 ins. from beginning, ending with 1st. row.
Next row: (side edge). Rib 5. (*14—Rib 5*) (*16 and 18—Rib 11*). *Inc. 1.st. in next st. Rib 3. Repeat from * to last 14 sts. Rib 14 for front border. 89 sts. on needle. (*14—94 sts.*) (*16—100 sts.*) (*18—105 sts.*)

Before proceeding, on Left Front, with pins, mark positions of 1st. and 2nd buttons to correspond to buttonholes worked on Right Front. Mark 5 more button positions approx. 2½ ins. apart, having 7th one 2 ins. down from neck edge. The 8th one goes in the 1¼-inch neckband.

Change to No. 10 needles and proceed:—
1st row: Rib 14. K6. (*14—Rib 14*) (*16 as 12*) (*18 as 14*). *P2. K1. P2. K6. Repeat from * to last 3 sts. P2. K1.
2nd row: K3. *P6. K5. Repeat from * to last 20 sts. P6. Rib 14. (*14—Repeat from * to last 14 sts. Rib 14*) (*16 as 12*) (*18 as 14*).
Repeat 1st. and 2nd rows twice more.
7th row: Rib 14. Twist. (*14—Rib 14*) (*16 as 12*) (*18 as 14*). *P2. K1. P2. Twist. Repeat from * to last 3 sts. P2. K1.
8th row: As 2nd row. These 8 rows complete one pattern for Right Front.

Working buttonholes to correspond to positions marked on Left Front, continue to correspond to Left Front being careful to have all shapings for opposite side.

NECKBAND: Using flat seam, sew shoulder seams. With right side of work facing, slip the 20 sts. of Right Front safety pin onto No. 12 needle. Join wool. Pick up and knit 83 sts. (*14—85 sts.*) (*16—87 sts.*) (*18—89 sts.*) around neck. K6. Rib 14 from Left

(*Continued on page 20*)

The Bow-Knot Cardigan

MATERIALS:
With deep armholes, this quickly knitted cardigan with its easy but effective stitch pattern, can give you much pleasure when you are sure to knit it with Beehive Caressa. You will require:—6 (2 oz.) skeins. *(14 and 16—7 skeins)* *(18—8 skeins)*. Two No. 7 and two No. 4 Beehive Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Caressa. 6 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length at centre back	18 "	18 "	18¾ "	18¾ "
Length of sleeve underarm seam	11¼ "	11¼ "	11¼ "	11¼ "

Tension: 8 sts. and 10 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

BACK: With No. 7 needles cast on 57 sts. *(14—61 sts.)* *(16—65 sts.)* *(18—69 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 16 rows in all, ending with 2nd row.

Change to No. 4 needles.
Next row: Knit. *(14—Knit)* *(16 and 18—Inc. 1.st. in 1st. st. Knit to last 2 sts. Inc. 1.st. in next st. K1)*. Purl 1 row. Proceed:—

1st row: K1. *(14—K3)* *(16—K6)* *(18—K8)*. *Bring wool to front of work. Keeping wool at front of work, slip next 5 sts. purlways. Letting wool pass evenly, but not tightly in front of these 5 slipped sts. put wool to back of work, thus making 1 strand of bow-knot. Knit next 5 sts. Repeat from * across row, ending with K1. *(14—K3)* *(16—K6)* *(18—K8)*.
2nd row: Purl across row.
Repeat 1st. and 2nd rows 3 times more.
9th row: K3. *(14—K5)* *(16—K8)* *(18—K10)*. *Pass right hand needle under and upward through the 4 strands at front of work and into next st. which is centre st. of the 5 slipped sts. Knit these 5 loops as 1.st. thus completing 1 bow-knot. K9. Repeat from * across row. Purl 1 row.
11th row: Inc. 1.st. in 1st. st. Knit to last 2 sts. Inc. 1.st. in next st. K1. Purl 1 row.
13th row: K7. *(14—K9)* *(16—K2)* *(18—K4)*. Repeat from * 1st. pattern row across row. These bow-knots are set between the previous ones. Purl 1 row.
15th row: As 13th row. Purl 1 row.
17th row: Inc. 1.st. in 1st. st. *(all sizes)*. K6. *(14—K8)* *(16—K1)* *(18—K3)*. Repeat from * 1st. pattern row, ending with inc. 1.st. in 2nd to last st. K1. Purl 1 row.
19th row: K8. *(14—K10)* *(16—K3)* *(18—K5)*. Repeat from * 1st. pattern row across row. Purl 1 row.
21st row: K10. *(14—K12)* *(16—K5)* *(18—K7)*. Repeat from * 9th pattern row across row. Purl 1 row.
23rd row: Inc. 1.st. in 1st. st. Knit to last 2 sts. Inc. 1.st. in next st. K1.

Cable—see page 21

24th row: Purl across row. These 24 rows complete one pattern. Keeping continuity of pattern, inc. 1.st. each end of needle on 5th and following 6th row, ending with **knit** row. 67 sts. on needle. *(14—71 sts.)* *(16—77 sts.)* *(18—81 sts.)*.
There are 37 rows in pattern and work measures approx. 8½ ins. from cast-on edge.

To make sleeves: Keeping continuity of pattern, cast on 9 sts. beginning next 6 rows, 8 sts. beginning following 2 rows. 137 sts. on needle. *(14—141 sts.)* *(16—147 sts.)* *(18—151 sts.)*.
Continue even in pattern until cuff edge measures 5 ins. *(14—5 ins.)* *(16 and 18—5¾ ins.)* ending with **knit** row.

To shape shoulders: Keeping continuity of pattern, cast off 4 sts. beginning next 12 rows, 5 sts. beginning next 12 rows, then 6 sts. *(14—8 sts.)* *(16—10 sts.)* *(18—12 sts.)* beginning following 2 rows. Cast off remaining 17 sts. *(14—17 sts.)* *(16 and 18—19 sts.)* purlways for neck.

LEFT FRONT: With No. 7 needles cast on 34 sts. *(14—36 sts.)* *(16—38 sts.)* *(18—40 sts.)*.
1st row: K2. *P1. K1. Repeat from * to end of row.
2nd row: (K1. P1)3 times. K1. (These 7 sts. form Moss st. border at front edge). *K1. P1. Repeat from * to last st. K1. (side edge).
Repeat these 2 rows for 16 rows in all, ending with 2nd row.

Change to No. 4 needles.
Next row: Knit to last 7 sts. *(14—Knit to last 7 sts.)* *(16 and 18—Inc. 1.st. in 1st. st. Knit to last 7 sts.)*. Leave these 7 sts. on safety pin to be worked later for front border. 27 sts. on needle. *(14—29 sts.)* *(16—32 sts.)* *(18—34 sts.)*. Purl 1 row. Proceed:—

1st row: K1. *(14—K3)* *(16—K6)* *(18—K8)*. Repeat from * 1st. pattern row as given for Back, ending with K1. *(all sizes)*.
Continue in pattern to correspond to Back, inc. 1.st. at side edge

(Continued on page 23)

Bow-Knot —*See opposite page*

on 11th pattern row, then every following 6th row to 32 sts. on needle *(14—34 sts.)* *(16—37 sts.)* *(18—39 sts.)* ending at side edge.

To make sleeve: Keeping continuity of pattern, cast on 9 sts. beginning next and every alternate row twice more, 8 sts. once. 67 sts. on needle. *(14—69 sts.)* *(16—72 sts.)* *(18—74 sts.)*.
Continue even in pattern until cuff edge measures same as Back to shoulders, ending at cuff edge.

To shape shoulder: Keeping continuity of pattern, at cuff edge cast off 4 sts. every alternate row 6 times, ending at front edge.
Cast off 7 sts. *(14—7 sts.)* *(16 and 18—8 sts.)* beginning next row for neck, then keeping neck edge even, cast off 5 sts. for shoulder 6 times.
Cast off remaining 6 sts. *(14—8 sts.)* *(16—10 sts.)* *(18—12 sts.)*.

To make button border: Slip the 7 sts. left for border onto No. 7 needle. Join wool at inside edge and work 92 rows Moss st. Cast off.

RIGHT FRONT: With No. 7 needles cast on 34 sts. *(14—36 sts.)* *(16—38 sts.)* *(18—40 sts.)*.
1st row: *K1. P1. Repeat from * to last 2 sts. K2.
2nd row: (side edge). K1. *P1. K1. Repeat from * to last 7 sts. (K1. P1)3 times. K1. (The last 7 sts. form Moss st. border at front edge).
Repeat these 2 rows for 14 rows in all, ending with 2nd row.
15th row: (1st. buttonhole). K1. P1. (K2tog. Wl.fwd. for buttonhole). K1. P1. K1. Rib to end of row.
16th row: Rib to last 7 sts. Leave these 7 sts. on safety pin to be worked later for front border.

Change to No. 4 needles.
Next row: Knit. *(14—Knit)* *(16 and 18—Knit to last 2 sts. Inc. 1.st. in next st. K1)*. 27 sts. on needle. *(14—29 sts.)* *(16—32 sts.)* *(18—34 sts.)*. Purl 1 row. Proceed:—

1st row: K1. *(all sizes)*. Repeat from * 1st. pattern row as given for Back, ending with K1. *(14—K3)* *(16—K6)* *(18—K8)*.

Eyelet—*See page 24*

Continue in pattern to correspond to Left Front, being careful to have all shapings for opposite side.

To make buttonhole border: Slip the 7 sts. left on safety pin onto No. 7 needle. Join wool at inside edge. Working buttonholes every 18th row, continue even in Moss st. until 3 rows have been worked above 6th buttonhole. Cast off.

COLLAR: With No. 7 needles cast on 97 sts. *(14—97 sts.)* *(16 and 18—103 sts.)*.
1st row: K1. *P1. K1. Repeat from * to end of row.
2nd row: (right side facing). Moss 13. P2tog. for corner. Rib to last 15 sts. P2tog. for corner. Moss 13.
3rd row: Moss 12. K2tog. Rib to last 14 sts. K2tog. Moss 12.
4th row: Moss 11. P2tog. Rib to last 13 sts. P2tog. Moss 11.
5th row: Moss 10. K2tog. Rib to last 12 sts. K2tog. Moss 10.

Continue decreasing for corners in this manner **every** row, that is, having 1.st. less in Moss st. at each end of work until the row—K1. P2tog. Rib to last 3 sts. P2tog. K1.—has been worked.
Keeping continuity of ribbing, dec. 1.st. each end of needle on next 3 rows. 65 sts. on needle. *(14—65 sts.)* *(16 and 18—71 sts.)*.
Next row: K2tog. P1. K1. *P3tog. K1. P1. K1. Repeat from * to last 7 sts. P3tog. K1. P1. K2tog.
Next row: K2tog. Rib to last 2 sts. K2tog. Cast off **loosely** in ribbing. The neck edge of collar is the cast-off row and the ends of rows. The outer edge is the entire cast-on edge.

CUFFS: Using back st. seam, sew shoulder seams. With right side of work facing and No. 7 needles pick up and knit 40 sts. *(14—40 sts.)* *(16 and 18—44 sts.)* along cuff edge. Work 16 rows (K1. P1) ribbing. Cast off **loosely** in ribbing.

TO MAKE UP: Block and Press each piece as given on page 29. Using back stitch seam for sleeves but flat seam for cuffs, sides and borders, sew these seams, allowing approx. 11 rows Moss st. for every 10 rows of pattern along each front edge. Placing ends 3 sts. in from each front edge, sew collar around neck. Sew buttons to correspond to buttonholes.

The Eyelet Cardigan

Shown on page 23 (right)

MATERIALS:
This dressy little cardigan features semi-raglan sleeves flowing into a becoming round yoke edged with angora. These instructions were tested with Beehive Pearl Twist and to produce the same result be sure to use this wool. You will need:—8 (1 oz.) balls *(14—8 balls)* *(16 and 18—9 balls)* and 1 (½ oz.) ball Fuzzy-Wuzzy for all sizes. Two No. 13 and two No. 11 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Pearl Twist. 12 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	33½ "	35½ "	37½ "	39½ "
Length at centre back	18 "	18¼ "	18¾ "	19 "
Length of sleeve underarm seam	12½ "	12½ "	12½ "	12½ "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

PATTERN: **1st row:** Knit.
2nd row: K1. P2. *K2tog. P6. Repeat from * to last 5 sts. K2tog. P2. K1.
3rd row: K3. *Insert point of right hand needle under strand between last st. on right hand needle and 1st. st. on left hand needle. Wool over needle and draw a stitch through onto right hand needle. (This inc. 1.st. and makes the Eyelet). K7. Repeat from * to last 4 sts. Make Eyelet. K4.
4th row: K1. Purl to last st. K1.
5th row: Knit.
6th row: K1. *P6. K2tog. Repeat from * to last 7 sts. P6. K1.
7th row: K7. *Make Eyelet which comes in centre of the K7 of previous Eyelet row. K7. Repeat from * to last st. K1.
8th row: K1. Purl to last st. K1. These 8 rows complete one pattern.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

BACK: With No. 13 needles cast on 104 sts. *(14—112 sts.)* *(16—120 sts.)* *(18—128 sts.)*.
1st row: K3. *P2. K2. Repeat from * to last st. K1.
2nd row: K1. *P2. K2. Repeat from * to last 3 sts. P2. K1.
Repeat these 2 rows of (K2. P2) ribbing for 2½ ins. ending with 1st. row.

Next row: Rib 5. *Inc. 1.st. in next st. Rib 3. Repeat from * to last 3 sts. P2. K1. 128 sts. on needle.
*(14—Rib 9. *Inc. 1.st. in next st. Rib 3. Repeat from * to last 7 sts. Rib 7. 136 sts. on needle)*
*(16—K1. P1. *Inc. 1.st. in next st. Rib 4. Repeat from * to last 3 sts. Inc. 1.st. in next st. P1. K1. 144 sts. on needle)*
*(18—Rib 5. *Inc. 1.st. in next st. Rib 4. Repeat from * to last 3 sts. P2. K1. 152 sts. on needle)*.

Change to No. 11 needles and continue even in pattern until work measures 10½ ins. from beginning, or desired length, ending with 6th pattern row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Keeping continuity of pattern, cast off 4 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 80 sts. on needle *(14—84 sts.)* *(16—88 sts.)* *(18—92 sts.)* ending with purl row. Break wool and leave these sts. on a thread. **Note:** In order to maintain the correct number of sts. on needle, on 6th pattern rows, do not work the K2tog. at each end of row if they so occur.

LEFT FRONT: With No. 13 needles cast on 55 sts. *(14—59 sts.)* *(16—63 sts.)* *(18—67 sts.)*.
1st row: K3. *P2. K2. Repeat from * to last 4 sts. K4. (The last 4 sts. form Garter st. border at front edge).
2nd row: K4. *P2. K2. Repeat from * to last 3 sts. P2. K1. (side edge).
Repeat these 2 rows for 2½ ins. ending with 1st. row.
Next row: K4. *Inc. 1.st. in next st. Rib 3. Repeat from * to last 3 sts. P2. K1. 67 sts. on needle.
*(14—K4. *Inc. 1.st. in next st. Rib 3. Repeat from * to last 7 sts. Rib 7. 71 sts. on needle)*
*(16—K4. *Inc. 1.st. in next st. Rib 4. Repeat from * to last 4 sts. Inc. 1.st. in next st. P2. K1. 75 sts. on needle)*
*(18—K4. *Inc. 1.st. in next st. Rib 4. Repeat from * to last 3 sts. P2. K1. 79 sts. on needle)*.

Change to No. 11 needles and proceed:—
1st row: Knit.
2nd row: K4. P2. *(14—K4. P6.)* *(16—K4. P2.)* *(18—K4. P6)*. *K2tog. P6. Repeat from * to last 5 sts. K2tog. P2. K1.
3rd row: K3. *Make Eyelet. K7. Repeat from * to last 7 sts. *(14—11 sts.)* *(16—7 sts.)* *(18—11 sts.)*. Make Eyelet. Knit to end of row.
4th row: K4. Purl to last st. K1.
5th row: Knit.
6th row: K4. P6. *(14—K4. P2)* *(16—K4. P6)* *(18—K4. P2)*. *K2tog. P6. Repeat from * to last st. K1.
7th row: K7. *Make Eyelet. K7. Repeat from * to last 11 sts. *(14—7 sts.)* *(16—11 sts.)* *(18—7 sts.)*. Make Eyelet. Knit to end of row.
8th row: K4. Purl to last st. K1. These 8 rows complete one pattern for Left Front.
Repeat these 8 rows until same length as Back to armholes, ending at side edge with **6th** pattern row.

To shape armhole: Keeping continuity of pattern, cast off 4 sts. beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 49 sts. on needle *(14—51 sts.)* *(16—53 sts.)* *(18—55 sts.)* ending with 4th or 8th pattern rows. Proceed:—

1st row: K2tog. Knit to last 12 sts. Turn.
2nd row: Slip 1st. st. P5. *K2tog. P6. Repeat from * across row, ending with K1.
3rd row: K2tog. K2. *(14—K2tog. K4)* *(16—K2tog. K6)* *(18—K2tog.)*. *Make Eyelet. K7. Repeat from * to last 16 sts. Turn.
4th row: Slip 1st. st. Purl to last st. K1.
5th row: K2tog. Knit to last 24 sts. Turn.
6th row: As 2nd row.
7th row: K2tog. K4. *(14—K2tog. K6)* *(16—K2tog. Make Eyelet. K7)* *(18—K2tog. K2. Make eyelet. K7)*. Make Eyelet. K7. Make Eyelet. K3. Turn.
8th row: Slip 1st. st. Purl to last st. K1.
9th row: K2tog. *(all sizes)*. K7. *(14—K9)* *(16—K11)* *(18—K13)*. Turn.
10th row: Slip 1st. st. *(all sizes)*. P6. K1. *(14—P5. K2tog. P1. K1)* *(16—P5. K2tog. P3. K1)* *(18—P5. K2tog. P5. K1)*.
11th row: K2tog. *(all sizes)*. K2. *(14—Make Eyelet. K3)* *(16—K2. Make Eyelet. K3)* *(18—K4. Make Eyelet. K3)*. Turn.
12th row: Slip 1st. st. Purl to last st. K1. Break wool and leave these 43 sts. *(14—45 sts.)* *(16—47 sts.)* *(18—49 sts.)* on a thread.

RIGHT FRONT: With No. 13 needles cast on 55 sts. *(14—59 sts.)* *(16—63 sts.)* *(18—67 sts.)*.
1st row: K6. *P2. K2. Repeat from * to last st. K1. (side edge).
2nd row: K1. *P2. K2. Repeat from * to last 6 sts. P2. K4. (The last 4 sts. form Garter st. border at front edge).
Repeat these 2 rows once more. *(14—twice more)* *(16—3 times more)* *(18—4 times more)*.

Next row: (1st. buttonhole). K3. Cast off 2 sts. Rib to end of row.
Next row: Rib to cast-off sts. Cast on 2 sts. K3.

Before proceeding, on Left Front, with pins, mark position of 1st. button to correspond to buttonhole just worked on Right Front. Mark 8 more button positions approx. 1½ ins. apart, having 9th

(Continued on page 25)

THE EYELET CARDIGAN (Continued from page 24)

one 1½ ins. down from yoke edge. The 10th, 11th and 12th ones go in the yoke.

Working buttonholes to correspond to positions marked on Left Front, repeat 1st. and 2nd rows until work measures 2½ ins. from beginning, ending with 1st. row.
Next row: Rib 5. *Inc. 1.st. in next st. Rib 3. *(14—Rib 9. *Inc. 1.st. in next st. Rib 3) (16—K1. P1. *Inc. 1.st. in next st. Rib 4) (18—Rib 6. *Inc. 1.st. in next st. Rib 4).* Repeat from * to last 6 sts. Inc. 1.st. in next st. P1. K4. 67 sts. on needle. *(14—71 sts.) (16—75 sts.) (18—79 sts.).*

Change to No. 11 needles and proceed:—
1st row: Knit.
2nd row: K1. P2. *K2tog. P6. Repeat from * to last 8 sts. *(14—12 sts.) (16—8 sts.) (18—12 sts.).* K2tog. Purl to last 4 sts. K4.
3rd row: K6. *(14—K10) (16—K6) (18—K10).* *Make Eyelet. K7. Repeat from * to last 4 sts. Make Eyelet. K4.
4th row: K1. Purl to last 4 sts. K4.
5th row: Knit.
6th row: K1. P6. *K2tog. P6. Repeat from * to last 12 sts. *(14—8 sts.) (16—12 sts.) (18—8 sts.)* K2tog. Purl to last 4 sts. K4.
7th row: K10. *(14—K6) (16—K10) (18—K6).* *Make Eyelet. K7. Repeat from * to last st. K1.
8th row: K1. Purl to last 4 sts. K4. These 8 rows complete one pattern for Right Front.
Working buttonholes as before, repeat these 8 rows until same length as Back to armholes, ending at side edge with 7th pattern row.

To shape armhole: Keeping continuity of pattern, cast off 4 sts. beginning next row for armhole, then dec. 1.st. at armhole edge on next and every alternate row to 48 sts. on needle *(14—50 sts.) (16—52 sts.) (18—54 sts.)* ending with 5th or 1st. pattern rows. Proceed:—

1st row: K1. P3. *(14—K1. P5) (16—K1. P7) (18—K1. P1)* *K2tog. P6. Repeat from * to last 12 sts. Turn.
2nd row: Slip 1st. st. K5. *Make Eyelet. K7. Repeat from * across row, ending with K2tog.
3rd row: K1. Purl to last 16 sts. Turn.
4th row: Slip 1st. st. Knit to last 2 sts. K2tog.
5th row: K1. P5. *(14—K1. P7) (16—K1. P1) (18—K1. P3).* *K2tog. P6. Repeat from * to last 24 sts. Turn.
6th row: As 2nd row.
7th row: K1. P16. *(14—K1. P18) (16—K1. P20) (18—K1. P22).* Turn.
8th row: Slip 1st. st. Knit to last 2 sts. K2tog.
9th row: K1. P7. *(14—K1. P1. K2tog. P6) (16—K1. P3. K2tog. P6) (18—K1. P5. K2tog. P6).* Turn.
10th row: Slip 1st. st. *(all sizes).* K5. K2tog. *(14—K5. Make Eyelet. K1. K2tog.) (16—K5. Make Eyelet. K3. K2tog.) (18—K5. Make Eyelet. K5. K2tog.).*
Break wool and leave these 43 sts. *(14—45 sts.) (16—47 sts.) (18—49 sts.)* on a thread.

SLEEVES: With No. 13 needles cast on 64 sts. *(14—64 sts.) (16 and 18—72 sts.)* and work 2½ ins. (K2. P2) ribbing as given for Back, ending with 1st. row.
Next row: K1. P2. *Inc. 1.st. in next st. Rib 7. Repeat from * to last 5 sts. Inc. 1.st. in next st. Rib 4. 72 sts. on needle. *(14 as 12)*
*(16 and 18—K1. P2. K1. *Inc. 1.st. in next st. Rib 8. Repeat from * to last 5 sts. Inc. 1.st. in next st. Rib 4. 80 sts. on needle).*

Change to No. 11 needles and work one complete pattern.
Keeping continuity of pattern and working increased sts. in pattern inc. 1.st. each end of needle on next and every following 8th row to 96 sts. on needle. *(14—96 sts.) (16 and 18—104 sts.).*
Continue even in pattern until sleeve measures approx. 12½ ins. from beginning, ending with 6th pattern row.

To shape cap: Keeping continuity of pattern, cast off 4 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 48 sts. on needle *(14—44 sts.) (16—48 sts.) (18—44 sts.)* ending with purl row. Break wool and leave these sts. on a thread.

YOKE: With wrong side of work facing, slip the sts. of Left Front, one sleeve, Back, other sleeve and Right Front onto No. 11 needle. 262 sts. on needle. *(14—262 sts.) (16 and 18—278 sts.).*
With right side of work facing join Fuzzy-Wuzzy and knit 2 rows. Work 10th buttonhole on next 2 rows. Knit 2 more rows. Break Fuzzy-Wuzzy. Join Pearl Twist and knit 1 row.

Next row: K4. *P2. K2. Repeat from * to last 6 sts. P2. K4.
Next row: K6. *P2. K2. Repeat from * to last 4 sts. K4.
Working 11th buttonhole 1½ ins. above 10th, repeat last 2 rows for 2½ ins. **Note:**—There should be the same number of rows in Pearl Twist below and above 11th buttonhole. With right side of work facing, break Pearl Twist. Join Fuzzy-Wuzzy and change to No. 13 needles.
Next row: K4. *K2tog. Repeat from * to last 4 sts. K4. Knit 1 row. Work 12th buttonhole on next 2 rows. Knit 2 more rows. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Using back stitch seam, sew side and sleeve seams. Sew in sleeves. Sew buttons to correspond to buttonholes.

LONG CARDIGAN (Continued from page 26)

SLEEVES: With No. 10 needles cast on 39 sts. *(14—39 sts.) (16 and 18—42 sts.).*
Work 3 ins. ribbing as given for Back, ending with 1st. row.
Next row: P3. *(14—P3) (16 and 18—P2).* *Inc. 1.st. in next st. purlways. P3. Repeat from * to end of row. 48 sts. on needle. *(14—48 sts.) (16 and 18—52 sts.).*

Change to No. 8 needles and proceed:—
1st row: K2. *(14—K2) (16 and 18—K1).* *Make Ridge. K4. Repeat from * to last 4 sts. Make Ridge. K2. *(14 as 12) (16 and 18—Repeat from * to last 3 sts. Make ridge. K1).*
2nd row: Purl across row. These 2 rows complete one pattern for Sleeves.
Keeping continuity of pattern and working increased sts. in pattern, inc. 1.st. each end of needle on 7th and every following 8th row to 66 sts. on needle *(14—66 sts.) (16 and 18—64 sts.)* then every 6th row to 72 sts. on needle. *(14—72 sts.) (16 and 18—78 sts.).*
Continue even in pattern until sleeve measures 16½ ins. from beginning, or desired length, ending with purl row.

To shape cap: Keeping continuity of pattern, cast off 3 sts. beginning next 2 rows.
Repeat from ** to ** as given for Back to 12 sts. on needle *(14—10 sts.) (16—16 sts.) (18—14 sts.)* then dec. 1.st. each end of needle every row to correspond to Back, to 6 sts. on needle. *(14—4 sts.) (16—6 sts.) (18—4 sts.).* Cast off.

COLLAR: Beginning at neck edge of under part of collar, with No. 8 needles cast on 76 sts. *(14—80 sts.) (16—84 sts.) (18—88 sts.).*
1st row: Purl across row.
2nd row: K9. *(14—K11) (16—K13) (18—K15).* (Inc. 1.st. in next st. K7)8 times. Knit to end of row. 84 sts. on needle. *(14—88 sts.) (16—92 sts.) (18—96 sts.).*
3rd row: Purl.
4th row: K1. Inc. 1.st. in next st. Knit to last 3 sts. Inc. 1.st. in next st. K2.
Repeat 3rd and 4th rows to 100 sts. on needle *(14—104 sts.) (16—108 sts.) (18—112 sts.)* ending with 4th row.
Work 7 rows even, ending with purl row.
Repeat from ** to ** as given for Back to 84 sts. on needle *(14—88 sts.) (16—92 sts.) (18—96 sts.)* ending with purl row.

Next row: K9. *(14—K11) (16—K13) (18—K15).* (K2tog. K7)8 times. Knit to end of row. 76 sts. on needle. *(14—80 sts.) (16—84 sts.) (18—88 sts.).*
Purl 1 row. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam, sew side and sleeve seams. Sew in sleeves. Sew pocket pieces in position on wrong side and pocket edges on right side. Turn under front facings and sew in position. Split a length of wool in half to make 2 ply wool and sew in buttonhole stitch around each buttonhole. Sew buttons to correspond to buttonholes. Sew shaped ends of collar together to make double collar. Turn right side out and sew cast-off edge to cast-on edge. Placing ends ½ inch in from each front edge, sew collar evenly around neck.

The Long Cardigan

Shown on page 27 (right)

MATERIALS:
Wear this raglan sweater as a cardigan or a jacket and you will be delighted with its versatility. In order to knit a garment exactly as shown, be sure to use Beehive Superior Double Knitting Patonised and Mothproofed. You will require:—9 (2 oz.) balls. *(14 and 16—10 balls)* *(18—11 balls)*. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting Patonised and Mothproofed. One Stitch Holder. 7 Buttons.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	35 "	37 "	39 "	41 "
Length at centre back	22½ "	22½ "	23 "	23 "
Length of sleeve underarm seam	16½ "	16½ "	16½ "	16½ "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 90 sts. *(14—96 sts.)* *(16—102 sts.)* *(18—108 sts.)*.
1st row: K2. *P2. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K2. Repeat from * to last 2 sts. P1. K1.
Repeat these 2 rows of ribbing for 6 rows in all, ending with 2nd row.

Change to No. 8 needles and proceed:—
1st row: K2. *P2tog. but do not slip off left hand needle. Purl into front of 1st. st. once more then slip both sts. off needle. (The working of 2 sts. in this manner will be termed "Make Ridge" throughout). K4. Repeat from * to last 4 sts. Make Ridge. K2.
2nd row: Purl across row. These 2 rows complete one pattern for Back.

Continue even in pattern until work measures 14½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Keeping continuity of pattern, cast off 3 sts. beginning next 2 rows.

****3rd row:** K1. Sl.1. K1. p.s.s.o. Work in pattern to last 3 sts. K2tog. K1.
4th row: Purl.**
Repeat from ** to ** to 30 sts. on needle. *(14—36 sts.)* *(16—42 sts.)* *(18—48 sts.)*.
Next row: P1. P2tog. Purl to last 3 sts. P2tog. through back of loops. P1.
Next row: K1. Sl.1. K1. p.s.s.o. Work in pattern to last 3 sts. K2tog. K1.
Repeat last 2 rows to 24 sts. on needle *(14—26 sts.)* *(16—28 sts.)* *(18—30 sts.)* ending with purl row. Cast off.

LEFT FRONT: **To make pocket piece:** With No. 8 needles cast on 24 sts. Work 4 ins. Stocking st. ending with **knit** row. Break wool. Leave these sts. on spare needle.

With No. 10 needles cast on 54 sts. *(14—57 sts.)* *(16—60 sts.)* *(18—63 sts.)*.
1st row: K2. *P2. K1. Repeat from * to last 13 sts. P2. K5. Keeping wool at back of work, slip next st. purlways. K5. (The last 11 sts. form Stocking st. border and facing at front edge).
2nd row: P11. *K2. P1. Repeat from * to last st. K1. (side edge).
Repeat these 2 rows for 6 rows in all, ending with 2nd row.

Change to No. 8 needles and proceed:—
1st row: K2. *Make Ridge. K4. Repeat from * to last 16 sts. Make Ridge. K8. Sl.1 purlways. K5. *(14—Repeat from * to last 13 sts. Make ridge. K5. Sl.1 purlways. K5)* *(16 as 12)* *(18 as 14)*.
2nd row: Purl across row. These 2 rows complete one pattern for Left Front.
Repeat these 2 rows until work measures 5 ins. from beginning, ending with 1st. pattern row.
Next row: P24. *(14—P27)* *(16—P24)* *(18—P27)*. Slip next 24 sts. for pocket edge onto st. holder. Purl the 24 sts. of pocket piece to replace them. Purl remaining 6 sts. *(14—6 sts.)* *(16 and 18—12 sts.)*.
Continue in pattern until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 3 sts. beginning next row for armhole.
2nd row: Purl.
3rd row: K1. Sl.1. K1. p.s.s.o. Work in pattern to end of row.
Repeat 2nd and 3rd rows to 28 sts. on needle *(14—31 sts.)* *(16—34 sts.)* *(18—37 sts.)* ending at front edge.
Next row: Cast off 19 sts. *(14—20 sts.)* *(16—21 sts.)* *(18—22 sts.)* purlways for neck. Purl to end of row.
Working on these 9 sts. *(14—11 sts.)* *(16—13 sts.)* *(18—15 sts.)* and keeping neck edge even, dec. 1.st. at armhole edge on next and every alternate row to 5 sts. on needle *(14—7 sts.)* *(16—9 sts.)* *(18—11 sts.)* then **every** row to correspond to Back, to 2 sts. on needle. Cast off.

To make pocket edge: With right side of work facing, join wool to the 24 sts. left on st. holder. With No. 10 needles, work 6 rows ribbing as given for Back. Cast off in ribbing.

RIGHT FRONT: Make pocket piece as given for Left Front.

With No. 10 needles cast on 54 sts. *(14—57 sts.)* *(16—60 sts.)* *(18—63 sts.)*.
1st row: K5. Sl.1 purlways. K5. *P2. K1. Repeat from * to last st. K1. (side edge).
2nd row: K1. *P1. K2. Repeat from * to last 11 sts. P11. (The last 11 sts. form Stocking st. border and facing at front edge).
Repeat these 2 rows for 6 rows in all, ending with 2nd row.

Change to No. 8 needles and proceed:—
1st row: (1st. buttonhole). K1. Cast off 2 sts. K2. Sl.1 purlways. K2. Cast off 2 sts. K4. *(14—K1)* *(16—K4)* *(18—K1)*. *Make Ridge. K4. Repeat from * to last 4 sts. Make Ridge. K2.
2nd row: Purl across row, casting on 2 sts. over each 2 cast-off sts. of 1st. row.

Before proceeding, on Left Front, with pins, mark position of 1st. button to correspond to buttonhole just worked on Right Front. Mark 6 more button positions approx. 3 ins. apart having 7th one 5 rows down from neck edge.
Working buttonholes to correspond to positions marked on Left Front and being careful to insert pocket piece 6 sts. *(14—6 sts.)* *(16 and 18—12 sts.)* from side edge, continue in pattern to correspond to Left Front, until work measures same as Back to armholes, ending at side edge.

To shape armhole: Cast off 3 sts. beginning next row for armhole.
2nd row: Work in pattern to last 3 sts. K2tog. K1.
3rd row: Purl.
Working buttonholes as before, repeat 2nd and 3rd rows to 29 sts. on needle *(14—32 sts.)* *(16—35 sts.)* *(18—38 sts.)* ending at front edge, thus having worked 4 rows above 7th buttonhole.
Next row: Cast off 19 sts. *(14—20 sts.)* *(16—21 sts.)* *(18—22 sts.)* for neck. Work in pattern to last 3 sts. K2tog. K1.
Working on these 9 sts. *(14—11 sts.)* *(16—13 sts.)* *(18—15 sts.)* and keeping neck edge even, dec. 1.st. at armhole edge every alternate row to 6 sts. on needle *(14—8 sts.)* *(16—10 sts.)* *(18—12 sts.)* then **every** row to correspond to Back, to 2 sts. on needle. Cast off.
Make pocket edge as given for Left Front.

(Continued on Page 25)

The Speedknit Jacket *(left)* *see page 28*

The Long Cardigan *(right)* *see page 26*

P&B WOOLS

The Speedknit Jacket

Shown on page 27 (left)

MATERIALS:
This smart jacket featuring raglan sleeves and smooth fronts is a delight to knit with Chieftain Speedknit on big needles. You will need:—16 (2 oz.) skeins. *(14—17 skeins)* *(16—18 skeins)* *(18—19 skeins)*. Two No. 5 and two No. 4 Beehive Knitting Needles or whichever needle size you require to produce the tension given below with Chieftain Speedknit.

MEASUREMENTS:	Size 12	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	35 "	37 "	39 "	41 "
Length at centre back	23½ "	23½ "	24 "	24 "
Length of sleeve underarm seam	16 "	16 "	16 "	16 "

Tension: 7 sts. and 9 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 12. Any changes necessary for sizes 14, 16 and 18 are written in brackets thus:—( ).

BACK: With No. 5 needles cast on 59 sts. *(14—63 sts.)* *(16—67 sts.)* *(18—71 sts.)*.
1st row: K1. *P1. K1. Repeat from * to end of row. Repeat this row for Moss st. for 28 rows in all.

Change to No. 4 needles and continue even in Stocking st. until work measures 13½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 2 sts. beginning next 2 rows.

3rd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
4th row: Purl across row.**
Repeat from ** to ** to 15 sts. on needle *(14—19 sts.)* *(16—23 sts.)* *(18—27 sts.)* ending with 3rd row, then dec. 1.st. each end of needle every row to 13 sts. on needle. *(all sizes)*. Cast off. **Note:** When dec. 1.st. each end of needle on purl rows—P1. P2tog. through back of loops. Purl to last 3 sts. P2tog. as usual. P1. This will keep the raglan shaping uniform.

LEFT FRONT: **To make pocket piece:** With No. 4 needles cast on 16 sts. and work 21 rows Stocking st. ending with knit row. Break wool. Leave these sts. on spare needle.

With No. 5 needles cast on 37 sts. *(14—39 sts.)* *(16—41 sts.)* *(18—43 sts.)*.
1st row: K1. *P1. K1. Repeat from * to last 6 sts. Keeping wool at back of work, slip next st. purlways. K5.
2nd row: P6. *K1. P1. Repeat from * to last st. K1.
Repeat these 2 rows for 28 rows in all, ending with 2nd row.

Change to No. 4 needles.
Next row: K5. *(14—K5)* *(16 and 18—K7)*. Cast off 16 sts. for pocket opening in Moss st. by purling the sts. to be purled and knitting the sts. to be knitted. K6. *(14 and 16—K8)* *(18—K10)*. (P1. K1)twice. Slip next st. purlways. K5. (The last 11 sts. form Moss st. border with Stocking st. facing at front edge).
Next row: P6. K1. (P1. K1)twice. P5. *(14 and 16—P7)* *(18—P9)*. Purl across the 16 sts. of pocket piece. Purl to end of row. (side edge).
Keeping border at front edge, continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping border at front edge, cast off 2 sts. beginning next row for armhole.
2nd row: Work even.
3rd row: K1. K2tog. Work to end of row.
Repeat 2nd and 3rd rows to 18 sts. on needle *(14—20 sts.)* *(16—22 sts.)* *(18—24 sts.)* then dec. 1.st. at armhole edge every row to correspond to Back, to 11 sts. on needle.
Work 3 ins. in the Moss and Stocking st. pattern on these 11 sts. to be sewn across one half of back of neck. Cast off.

RIGHT FRONT: Make pocket piece as given for Left Front.

With No. 5 needles cast on 37 sts. *(14—39 sts.)* *(16—41 sts.)* *(18—43 sts.)*.
1st row: K5. Slip next st. purlways. K1. *P1. K1. Repeat from * to end of row.
2nd row: K1. *P1. K1. Repeat from * to last 6 sts. P6.
Repeat these 2 rows for 28 rows in all, ending with 2nd row.

Change to No. 4 needles.
Next row: K5. Slip next st. purlways. (K1. P1)twice. K6. *(14 and 16—K8)* *(18—K10)*. Cast off next 16 sts. for pocket opening in Moss st. Knit to end of row. (side edge).
Next row: P5. *(14—P5)* *(16 and 18—P7)*. Purl across the 16 sts. of pocket piece. P5. *(14 and 16—P7)* *(18—P9)*. K1. (P1. K1)twice. P6. (The last 11 sts. form Moss st. border with Stocking st. facing at front edge).
Keeping border at front edge, continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping border at front edge, cast off 2 sts. beginning next row for armhole.
2nd row: Work to last 3 sts. Sl.1. K1. p.s.s.o. K1.
3rd row: Work even.
Repeat 2nd and 3rd rows to 18 sts. on needle *(14—20 sts.)* *(16—22 sts.)* *(18—24 sts.)* then dec. 1.st. at armhole edge every row to correspond to Back, to 11 sts. on needle.
Work 3 ins. in the Moss st. and Stocking st. pattern on these 11 sts. Cast off.

SLEEVES: With No. 5 needles cast on 27 sts. *(14—29 sts.)* *(16—31 sts.)* *(18—33 sts.)* and work 10 rows Moss st.
Keeping continuity of Moss st. and working increased sts. in Moss st. inc. 1.st. each end of needle on next and every following 6th row until there are 28 rows in all.

Change to No. 4 needles and continue in Stocking st. inc. 1.st. each end of needle on next and every following 6th row to 49 sts. on needle. *(14—51 sts.)* *(16—53 sts.)* *(18—55 sts.)*.
Continue even until sleeve measures 16 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Repeat from ** to ** as given for Back to 5 sts. on needle, ending with purl row. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Using flat seam, sew side and sleeve seams. Sew in sleeves. Sew the cast-off sts. of neckband together and placing this seam at centre back of neck, sew in position. Turn under front facings and sew in position. Sew pocket pieces in position on wrong side, bringing cast-on edges down to cast-on edges of fronts.

FLAT SEAM

Have right sides facing each other and oversew the "knot" of one piece to corresponding knot of other piece. Stretch seam slightly when sewing to keep it as elastic as the knitting. The "knot" is formed by the stitch knitted at beginning and end of each row in the finer wools and in the case of the heavier wools is the smaller of the 2 stitches at edges of work.

BACK STITCH SEAM

Have right sides facing each other and sew one stitch in from edge to make a seam a ¼ inch deep or less. Working from right to left, bring needle up to front of work, *then put it through to back of work to the right for about ¼ inch, then bring it up to front of work to the left for about ¼ inch. Repeat from * to end of seam, stretching seam slightly to keep it as elastic as the knitting. When working with the heavier wools, the sewing stitches will necessarily have to be a little larger.

THE WASHING OF WOOLLIES

Well knitted woollies are worthy of careful treatment. They will give long service and keep their shape and softness if this simple routine is followed:—

WASHING

Dissolve completely a little soap, flakes or powder, cold water soap or good detergent in a small quantity of hot water.

Add cold water until the soap suds are only lukewarm (too hot for the elbow is altogether too hot for woollies). Detergents require much cooler water.

Place the garment in the suds and squeeze gently. Do not rub or leave to soak.

When the garment is clean, squeeze as much water out as possible but do not wring or twist.

Keep the garment supported by the hands whenever it is removed from the water.

RINSING

Rinse at least twice in clean water, no warmer than the washing suds. *Every trace of soap must be removed.*

Be sure to add a few drops of white vinegar to the final rinse water. This is most important, particularly when other shades are knitted *with* WHITE.

DRYING

Never let woollies lie wet. Remove all moisture at once by rolling in a thick towel.

Ease the garment back to its original size and shape. Dry on a flat surface away from excessive heat.

Do not hang up—Dry flat.

NOTE:

Most washing troubles are caused by:—TOO HOT WATER, TOO MUCH SOAP, TOO MUCH RUBBING, TOO LITTLE RINSING.

PATONISED WOOLS

To ensure the fullest benefit of increased wearing properties, it is recommended that the foregoing washing routine be followed for garments knitted from Patonised Shrink-resist wools.

CHECK TENSION

The garments in this book are worked to the exact tension given. They are closely knitted to ensure a firm fabric that will wear better and keep its shape longer than a loosely knitted fabric. **Check your tension.** Before beginning your garment take the wool and needles specified. Cast on 20 stitches. Work 20 rows stocking stitch. Lay work flat on a table and place a ruler across the stitches. Count the number of stitches to one inch and compare with the tension given in the instructions. All given tension in Beehive instructions is measured over stocking stitch. If your tension is too loose try a size smaller needle. If your tension is too tight try a size larger needle.

Be sure to work to exact tension given if you want your garment to work to correct size.

WOOLS TO USE

Every instruction in this book has been carefully prepared with the wool recommended; for perfect satisfaction be sure to use only the wool specified.

When purchasing the wool, be sure to buy enough *in one dye lot* to complete the garment chosen and avoid trouble in having to match the shade later.

TO BLOCK AND PRESS

Place all knitted pieces on a pad, right side down, measure and pin them to size and shape using rustless pins. Cover with a damp cloth. Holding a hot iron close enough to the cloth to draw steam, smooth over each piece, except for the ribbed bands. Do not press the iron on the work at any time. Remove cloth and leave pieces to dry.

ABBREVIATIONS

KNITTING:
K—knit plain. P—purl. sl.—slip.
st.—stitch. sts.—stitches.
w.o.n.—wool over needle.
w.r.n.—wool round needle.
tog.—together. ins.—inches.
wl.fwd.—wool forward.
p.s.s.o.—pass slip stitch over.
t.b.l.—through back of loops.
inc.—increase. dec.—decrease.

CROCHET:
ch.—chain
tr.—treble.
s.c.—single crochet.
d.c.—double crochet.
s.s.—slip stitch.
h.tr.—half treble.
h.d.c.—half double crochet.
w.o.h.—wool over hook.
d.tr.—double treble.
l.tr.—long treble.

The star symbol (★)—This indicates that the directions immediately following are to be repeated. When directions call for repeating a given number of times, it is understood this is in addition to the original. Thus, repeat 3 times means 4 times altogether.

To knit "even"—The row or work is knitted without increasing or decreasing.

Important: When the instructions read—Cast off 2 sts. K2. (or similar sts.) the stitch on the right hand needle after casting off, is counted as 1 stitch.

TRADUCTION FRANÇAISE

TRICOTER:
K—tricoter à l'endroit. P—tricoter à l'envers.
w.r.n.—une maille jetée à l'envers. sl.—glisser.
p.s.s.o.—passer la maille glissée par dessus. ins.—pouces.
w.o.n.—passer la laine par-dessus l'aiguille. tog.—ensemble.
wl.fwd.—une maille jetée à l'endroit. inc.—augmenter.
t.b.l.—tricoter par derrière la maille. dec.—diminuer.

To knit even—Tricoter sans augmenter ni diminuer.

The star symbol (★)—L'astérisque indique que les directions qui suivent doivent être répétées. Si on demande de répéter un certain nombre de fois, il est entendu que c'est en plus de l'original, tel que ★ répéter 3 fois veut dire 4 fois en tout.

CROCHET:
ch.—chaine.
tr.—triple crochet.
l.tr.—triple crochet. (long).
w.o.h.—Passer la laine sur le crochet.
h.tr.—Demi triple crochet.
s.c.—simple crochet.
d.c.—double crochet.
d.tr.—double triple.
h.d.c.—demi crochet.
s.s.—maille glissée.

ARMHOLE—Emmanchure. NECK EDGE—Encolure. CAST OFF—Rabattre. GARTER STITCH—Point de jarretière, tous les rangs à l'endroit. STOCKING STITCH—Point Jersey. Un rang à l'endroit. Un rang à l'envers. MOSS OR SEED STITCH —1er rang. 1 maille à l'endroit. 1 maille à l'envers. 2e rang. = 1 maille à l'envers vis-à-vis des mailles à l'endroit et 1 maille à l'endroit vis-à-vis des mailles à l'envers.

3—Published with all rights reserved by Patons & Baldwins Limited, Toronto 19

Sally Mickalishyn

BEEHIVE SCOTCH FINGERING 2, 3 AND 4 PLY

Woollies knitted from Beehive PATONISED wools come out of each wash as young and fresh as the day you finished them. The shrink resistant Patonising process gives protection throughout endless washing.

Canada's most popular series of knitting books and leaflets—all by Beehive

THE BEEHIVE KNITTER'S LIBRARY

No. 67

No. 68

No. 87

No. 60

THE CHIEFTAIN SERIES

No. 2

No. 35



No. 38

No. 43

THE CANADIANA SERIES

No. 1019

No. 1012

No. 1007

No. 1018

For FREE leaflet showing wide choices of additional designs in one or more of these three series, or in case of any difficulty write

PATONS & BALDWINS LIMITED : TORONTO 19